



Publication List With Molecular Devices Cellular Imaging Products



www.moleculardevices.com

Publication List with Molecular Devices Cellular Imaging Products

2014

1. Akopyan, K., et al., Assessing kinetics from fixed cells reveals activation of the mitotic entry network at the s/g2 transition. *Mol Cell*, 2014. 53(5): p. 843-53.
2. Bontems, F., et al., C2orf62 and TTC17 Are Involved in Actin Organization and Ciliogenesis in Zebrafish and Human. *PLoS One*, 2014. 9(1): p. e86476.
3. Bush, C.O., et al., A small-molecule inhibitor of hepatitis C virus infectivity. *Antimicrob Agents Chemother*, 2014. 58(1): p. 386-96.
4. Cao, Z., et al., Nanomolar bifenthrin alters synchronous Ca²⁺ oscillations and cortical neuron development independent of sodium channel activity. *Mol Pharmacol*, 2014. 85(4): p. 630-9.
5. Chen, W.-J., et al., Cancer-associated fibroblasts regulate the plasticity of lung cancer stemness via paracrine signalling. *Nature Communications*, 2014. 5.
6. Delaine-Smith, R.M., A. Sittichokechaiwut, and G.C. Reilly, Primary cilia respond to fluid shear stress and mediate flow-induced calcium deposition in osteoblasts. *FASEB J*, 2014. 28(1): p. 430-9.
7. D'Souza A, M., et al., Leptin Deficiency in Rats Results in Hyperinsulinemia and Impaired Glucose Homeostasis. *Endocrinology*, 2014: p. en20131523.
8. Gao, X. and R.N. Hannoush, A method for cellular imaging of palmitoylated proteins with clickable probes and proximity ligation applied to Hedgehog, tubulin and Ras. *J Am Chem Soc*, 2014.
9. Gu, Q., et al., Invitro detection of cytotoxicity using FluoroJade-C. *Toxicol In Vitro*, 2014. 28(4): p. 469-472.
10. Haddick, P.C., et al., Defining the ligand specificity of the deleted in colorectal cancer (DCC) receptor. *PLoS One*, 2014. 9(1): p. e84823.
11. Han, K., et al., Parallel measurement of dynamic changes in translation rates in single cells. *Nat Methods*, 2014. 11(1): p. 86-93.
12. Honarpour N, R.C., Brumbaugh J, Anderson J, Graham RL, Sweredoski MJ, Hess S, Coon JJ, Deshaies RJ, F-box Protein FBXL16 Binds PP2A-B55 α and Regulates Differentiation of Embryonic Stem Cells along the FLK1+ Lineage. *Mol Cell Proteomics*, 2014.
13. Isono, K., et al., Generation of familial amyloidotic polyneuropathy-specific induced pluripotent stem cells. *Stem Cell Res*, 2014. 12(2): p. 574-83.
14. Karczewski, J., et al., Development of a recombinant toxin fragment vaccine for Clostridium difficile infection. *Vaccine*, 2014.
15. Levy, D., et al., Short-term effects of 7-ketosterol on human adipose tissue mesenchymal stem cells in vitro. *Biochem Biophys Res Commun*, 2014.
16. Li, I.C., et al., A dual-fluorescent reporter facilitates identification of thiol compounds that suppress microsatellite instability induced by oxidative stress. *Free Radic Biol Med*, 2014. 69C: p. 86-95.
17. Li, R., et al., Capilliposide C derived from Lysimachia capillipes Hemsl inhibits growth of human prostate cancer PC3 cells by targeting caspase and MAPK pathways. *Int Urol Nephrol*, 2014.
18. Liu, R., et al., Association rule mining of cellular responses induced by metal and metal oxide nanoparticles. *Analyst*, 2014. 139(5): p. 943-53.
19. Liu, Z., et al., Carboxylation of multiwalled carbon nanotube enhanced its biocompatibility with L02 cells through decreased activation of mitochondrial apoptotic pathway. *J Biomed Mater Res A*, 2014. 102(3): p. 665-73.
20. Liu, Z., Y. Liu, and D. Peng, Hydroxylation of multi-walled carbon nanotubes reduces their cytotoxicity by limiting the activation of mitochondrial mediated apoptotic pathway. *J Mater Sci Mater Med*, 2014.
21. MacGregor, K.A., et al., Development of 1,8-naphthalimides as clathrin inhibitors. *J Med Chem*, 2014. 57(1): p. 131-43.
22. Mong, J., et al., Transcription factor-induced lineage programming of noradrenaline and motor neurons from embryonic stem cells. *Stem Cells*, 2014. 32(3): p. 609-22.

- 23.** Mullooly, N., et al., Elevated levels of branched-chain amino acids have little effect on pancreatic islet cells, but L-arginine impairs function through activation of the endoplasmic reticulum stress response. *Exp Physiol*, 2014. 99(3): p. 538-51.
- 24.** Nilsson, R., et al., Metabolic enzyme expression highlights a key role for MTHFD2 and the mitochondrial folate pathway in cancer. *Nat Commun*, 2014. 5: p. 3128.
- 25.** Noriega, V.M., et al., Human Cytomegalovirus US28 Facilitates Cell-to-Cell Viral Dissemination. *Viruses*, 2014. 6(3): p. 1202-18.
- 26.** Ong, W.K., et al., Identification of specific cell-surface markers of adipose-derived stem cells from subcutaneous and visceral fat depots. *Stem Cell Reports*, 2014. 2(2): p. 171-9.
- 27.** Pulloor, N.K., et al., Human Genome-Wide RNAi Screen Identifies an Essential Role for Inositol Pyrophosphates in Type-I Interferon Response. *PLoS Pathog*, 2014. 10(2): p. e1003981.
- 28.** Raftery, T.D., et al., High-content screening assay for identification of chemicals impacting spontaneous activity in zebrafish embryos. *Environ Sci Technol*, 2014. 48(1): p. 804-10.
- 29.** Rajamuthiah, R., et al., Whole Animal Automated Platform for Drug Discovery against Multi-Drug Resistant *Staphylococcus aureus*. *PLoS One*, 2014. 9(2): p. e89189.
- 30.** Sarkar, S., et al., Therapeutic activation of macrophages and microglia to suppress brain tumorinitiating cells. *Nat Neurosci*, 2014. 17(1): p. 46-55.
- 31.** Shahane, S.A., et al., Detection of phospholipidosis induction: a cell-based assay in hightthroughput and high-content format. *J Biomol Screen*, 2014. 19(1): p. 66-76.
- 32.** Sirenko, O., et al., High-content assays for hepatotoxicity using induced pluripotent stem cellderived cells. *Assay Drug Dev Technol*, 2014. 12(1): p. 43-54.
- 33.** Sorrentino, G., et al., Metabolic control of YAP and TAZ by the mevalonate pathway. *Nat Cell Biol*, 2014.
- 34.** Stanley, S.A., et al., Identification of Host-Targeted Small Molecules That Restrict Intracellular *Mycobacterium tuberculosis* Growth. *PLoS Pathog*, 2014. 10(2): p. e1003946.
- 35.** Toret, C.P., et al., A genome-wide screen identifies conserved protein hubs required for cadherinmediated cell-cell adhesion. *J Cell Biol*, 2014. 204(2): p. 265-79.
- 36.** Tsai, F.C., et al., A polarized Ca²⁺, diacylglycerol and STIM1 signalling system regulates directed cell migration. *Nat Cell Biol*, 2014. 16(2): p. 133-44.
- 37.** Yoo, J.S., et al., A macrophage-specific fluorescent probe for intraoperative lymph node staging. *Cancer Res*, 2014. 74(1): p. 44-55.
- 38.** Zhang, B., et al., Quantitative phenotyping-based in vivo chemical screening in a zebrafish model of leukemia stem cell xenotransplantation. *PLoS One*, 2014. 9(1): p. e85439.
- 39.** Zhang, H., et al., PdO-doping Tunes Bandgap Energy Levels as well as Oxidative Stress Responses to a p-type Semiconductor Co₃O₄ in vitro and in vivo. *J Am Chem Soc*, 2014.

2013

- 40.** Abdel-Halim, M., et al., Trisubstituted and tetrasubstituted pyrazolines as a novel class of cellgrowth inhibitors in tumor cells with wild type p53. *Bioorganic & Medicinal Chemistry*, 2013. 21(23): p. 7343–7356.
- 41.** Arya, M.A., et al., Notch pathway activation contributes to inhibition of C2C12 myoblast differentiation by ethanol. *PLoS One*, 2013. 8(8): p. e71632.
- 42.** Attene-Ramos, M.S., et al., Systematic study of mitochondrial toxicity of environmental chemicals using quantitative high throughput screening. *Chem Res Toxicol*, 2013. 26(9): p. 1323-32.
- 43.** Auerbach, M., et al., Characterization of the guinea pig CMV gH/gL/GP129/GP131/GP133 complex in infection and spread. *Virology*, 2013. 441(1): p. 75-84.
- 44.** Bai, H., et al., Dual activators of protein kinase R (PKR) and protein kinase R-like kinase PERK identify common and divergent catalytic targets. *ChemBioChem*, 2013. 14(10): p. 1255-62.
- 45.** Banerjee, I., et al., High-content analysis of sequential events during the early phase of influenza A virus infection. *PLoS One*, 2013. 8(7): p. e68450.
- 46.** Barak, L.S., et al., Triphenylmethane dye activation of beta-arrestin. *Biochemistry*, 2013. 52(32): p. 5403-14.

- 47.** Battich, N., T. Stoeger, and L. Pelkmans, Image-based transcriptomics in thousands of single human cells at single-molecule resolution. *Nat Methods*, 2013. 10(11): p. 1127-33.
- 48.** Bitler, B.G., et al., A high-content screening assay for small-molecule modulators of oncogene-induced senescence. *J Biomol Screen*, 2013. 18(9): p. 1054-61.
- 49.** Brusilovsky, M., et al., Genome-wide siRNA screen reveals a new cellular partner of NK cell receptor KIR2DL4: heparan sulfate directly modulates KIR2DL4-mediated responses. *J Immunol*, 2013. 191(10): p. 5256-67.
- 50.** Burkhardt, M.F., et al., A cellular model for sporadic ALS using patient-derived induced pluripotent stem cells. *Mol Cell Neurosci*, 2013. 56: p. 355-64.
- 51.** Burnham, M.P., et al., Investigation of Connexin 43 Uncoupling and Prolongation of The Cardiac Qrs Complex in Pre-Clinical and Marketed Drugs. *Br J Pharmacol*, 2013.
- 52.** Bush, C.O., et al., Hepatitis C viral entry inhibitors prolong viral suppression by replication inhibitors in persistently-infected Huh7 cultures. *PLoS One*, 2013. 8(6): p. e65273.
- 53.** Bye, F.J., et al., Development of bilayer and trilayer nanofibrous/microfibrous scaffolds for regenerative medicine. *Biomaterials Science*, 2013. 1(9): p. 942.
- 54.** Canton, I., et al., Fully synthetic polymer vesicles for intracellular delivery of antibodies in live cells. *FASEB J*, 2013. 27(1): p. 98-108.
- 55.** Carlson, C., et al., Phenotypic screening with human iPS cell-derived cardiomyocytes: HTScompatible assays for interrogating cardiac hypertrophy. *J Biomol Screen*, 2013. 18(10): p. 1203-11.
- 56.** Chan, G.K., et al., A simple high-content cell cycle assay reveals frequent discrepancies between cell number and ATP and MTS proliferation assays. *PLoS One*, 2013. 8(5): p. e63583.
- 57.** Chan, K., et al., Development of a robust luciferase reporter 1b/2a hepatitis C virus (HCV) for characterization of early stage HCV life cycle inhibitors. *Antiviral Res*, 2013. 98(1): p. 85-92.
- 58.** Chen, C.H., et al., Hyaluronan enhances bone marrow cell therapy for myocardial repair after infarction. *Mol Ther*, 2013. 21(3): p. 670-9.
- 59.** Cheng, C.C., et al., Interleukin-6 upregulates paraoxonase 1 gene expression via an AKT/NFkappaB-dependent pathway. *Biochem Biophys Res Commun*, 2013. 437(1): p. 55-61.
- 60.** Clare, V.L., et al., Loss-of-function mutations in MICU1 cause a brain and muscle disorder linked to primary alterations in mitochondrial calcium signaling. *Nature Genetics*, 2013.
- 61.** Collin, P., et al., The spindle assembly checkpoint works like a rheostat rather than a toggle switch. *Nat Cell Biol*, 2013. 15(11): p. 1378-85.
- 62.** Comley, J., Stem cells rapidly gaining traction in research and drug discovery. *Drug Discovery World*, 2013.
- 63.** Conway, K.L., et al., Atg16l1 is required for autophagy in intestinal epithelial cells and protection of mice from *Salmonella* infection. *Gastroenterology*, 2013. 145(6): p. 1347-57.
- 64.** Cook, D.A., et al., Wnt-dependent osteogenic commitment of bone marrow stromal cells using a novel GSK3beta inhibitor. *Stem Cell Res*, 2013. 12(2): p. 415-427.
- 65.** Cruz, D.J., et al., High content screening of a kinase-focused library reveals compounds broadlyactive against dengue viruses. *PLoS Negl Trop Dis*, 2013. 7(2): p. e2073.
- 66.** Cua, R.C., et al., Overcoming neurite-inhibitory chondroitin sulfate proteoglycans in the astrocyte matrix. *Glia*, 2013. 61(6): p. 972-84.
- 67.** Curry, M.C., et al., Mitochondrial calcium uniporter silencing potentiates caspase-independent cell death in MDA-MB-231 breast cancer cells. *Biochem Biophys Res Commun*, 2013. 434(3): p.695-700.
- 68.** Davis, F.M., et al., Induction of epithelial-mesenchymal transition (EMT) in breast cancer cells is calcium signal dependent. *Oncogene*, 2013.
- 69.** Do, J.L., A. Bonni, and M.H. Tuszyński, SnoN facilitates axonal regeneration after spinal cord injury. *PLoS One*, 2013. 8(8): p. e71906.
- 70.** Downing, T.L., et al., Biophysical regulation of epigenetic state and cell reprogramming. *Nat Mater*, 2013. 12(12): p. 1154-62.
- 71.** Doyle, J.R., et al., Naturally occurring HCA1 missense mutations result in loss of function: potential impact on lipid deposition. *J Lipid Res*, 2013. 54(3): p. 823-30.

- 72.** Dustrude, E.T., et al., CRMP2 protein SUMOylation modulates NaV1.7 channel trafficking. *J Biol Chem*, 2013. 288(34): p. 24316-31.
- 73.** Farhan, M., et al., Multi-scale Gaussian representation and outline-learning based cell image segmentation. *BMC Bioinformatics*, 2013. 14 Suppl 10: p. S6.
- 74.** Florian, A.E., et al., Flow cytometry enables a high-throughput homogeneous fluorescent antibody-binding assay for cytotoxic T cell lytic granule exocytosis. *J Biomol Screen*, 2013. 18(4):p. 420-9.
- 75.** Fong, K.W., et al., MTR120/KIAA1383, a novel microtubule-associated protein, promotes microtubule stability and ensures cytokinesis. *J Cell Sci*, 2013. 126(Pt 3): p. 825-37.
- 76.** Fong, K.W., et al., Whole-genome screening identifies proteins localized to distinct nuclear bodies. *J Cell Biol*, 2013. 203(1): p. 149-64.
- 77.** Franzosa, J.A., et al., Retinoic acid-dependent regulation of miR-19 expression elicits vertebrate axis defects. *FASEB J*, 2013. 27(12): p. 4866-76.
- 78.** Fung, E., et al., High-throughput screening of small molecules identifies hepcidin antagonists. *Mol Pharmacol*, 2013. 83(3): p. 681-90.
- 79.** Gage, B.K., T.D. Webber, and T.J. Kieffer, Initial Cell Seeding Density Influences Pancreatic Endocrine Development During in vitro Differentiation of Human Embryonic Stem Cells. *PLoS One*, 2013. 8(12): p. e82076.
- 80.** Gaji, R.Y., M.H. Huynh, and V.B. Carruthers, A novel high throughput invasion screen identifies host actin regulators required for efficient cell entry by *Toxoplasma gondii*. *PLoS One*, 2013. 8(5): p. e64693.
- 81.** Garapati-Rao, S., et al., Identification of EZH2 and EZH1 small molecule inhibitors with selective impact on diffuse large B cell lymphoma cell growth. *Chem Biol*, 2013. 20(11): p. 1329-39.
- 82.** Gardner, T.J., et al., Development of a high-throughput assay to measure the neutralization capability of anti-cytomegalovirus antibodies. *Clin Vaccine Immunol*, 2013. 20(4): p. 540-50.
- 83.** Gillespie, E.J., et al., Selective inhibitor of endosomal trafficking pathways exploited by multiple toxins and viruses. *Proc Natl Acad Sci U S A*, 2013. 110(50): p. E4904-12.
- 84.** Goldstein, D.B., et al., Sequencing studies in human genetics: design and interpretation. *Nat Rev Genet*, 2013. 14(7): p. 460-70.
- 85.** Grayson, A.R., et al., MYC, a downstream target of BRD-NUT, is necessary and sufficient for the blockade of differentiation in NUT midline carcinoma. *Oncogene*, 2013.
- 86.** Gunther, S., et al., Myf5-positive satellite cells contribute to Pax7-dependent long-term maintenance of adult muscle stem cells. *Cell Stem Cell*, 2013. 13(5): p. 590-601.
- 87.** Gustafsdottir, S.M., et al., Multiplex cytological profiling assay to measure diverse cellular states. *PLoS One*, 2013. 8(12): p. e80999.
- 88.** Hasson, S.A., et al., High-content genome-wide RNAi screens identify regulators of parkin upstream of mitophagy. *Nature*, 2013. 504(7479): p. 291-5.
- 89.** Henderson-Smith, A., et al., SMG1 identified as a regulator of Parkinson's disease-associated alpha-synuclein through siRNA screening. *PLoS One*, 2013. 8(10): p. e77711.
- 90.** Hogh, K.L., et al., Overexpression of peroxisome proliferator-activated receptor alpha in pancreatic beta-cells improves glucose tolerance in diet-induced obese mice. *Exp Physiol*, 2013. 98(2): p. 564-75.
- 91.** Hsiao, S.C., et al., Real time assays for quantifying cytotoxicity with single cell resolution. *PLoS One*, 2013. 8(6): p. e66739.
- 92.** Hwang, J.Y., et al., Synthesis and evaluation of hexahydropyrimidines and diamines as novel hepatitis C virus inhibitors. *Eur J Med Chem*, 2013. 70: p. 315-25.
- 93.** Isherwood, B.J., et al., High-content analysis to leverage a robust phenotypic profiling approach to vascular modulation. *J Biomol Screen*, 2013. 18(10): p. 1246-59.
- 94.** Jiang, J., P. Mohan, and C.A. Maxwell, The cytoskeletal protein RHAMM and ERK1/2 activity maintain the pluripotency of murine embryonic stem cells. *PLoS One*, 2013. 8(9): p. e73548.
- 95.** Jin, H.J., et al., TanshinoneIIA and cryptotanshinone protect against hypoxia-induced mitochondrial apoptosis in H9c2 cells. *PLoS One*, 2013. 8(1): p. e51720.
- 96.** John, S.P., et al., The CD225 domain of IFITM3 is required for both IFITM protein association and inhibition of influenza A virus and dengue virus replication. *J Virol*, 2013. 87(14): p. 7837-52.

- 97.** Kamranvar, S.A., X. Chen, and M.G. Masucci, Telomere dysfunction and activation of alternative lengthening of telomeres in B-lymphocytes infected by Epstein-Barr virus. *Oncogene*, 2013. 32(49): p. 5522-30.
- 98.** Kang, N.Y., et al., Visualization and isolation of Langerhans islets by a fluorescent probe PiY. *Angew Chem Int Ed Engl*, 2013. 52(33): p. 8557-60.
- 99.** Kim, H.Y., et al., Development of a multiplex phenotypic cell-based high throughput screening assay to identify novel hepatitis C virus antivirals. *Antiviral Res*, 2013. 99(1): p. 6-11.
- 100.** Kim, S., et al., FGFR2 promotes breast tumorigenicity through maintenance of breast tumorinitiating cells. *PLoS One*, 2013. 8(1): p. e51671.
- 101.** Krey, J.F., et al., Timothy syndrome is associated with activity-dependent dendritic retraction in rodent and human neurons. *Nat Neurosci*, 2013. 16(2): p. 201-9.
- 102.** Kwon, Y., et al., Phenotypic MicroRNA Microarrays. *Microarrays*, 2013.
- 103.** Kwuan, L., W. Adams, and V. Auerbuch, Impact of host membrane pore formation by the *Yersiniapseudotuberculosis* type III secretion system on the macrophage innate immune response. *Infect Immun*, 2013. 81(3): p. 905-14.
- 104.** La Frazia, S., et al., Thiazolides, a new class of antiviral agents effective against rotavirus infection, target viral morphogenesis, inhibiting viroplasm formation. *J Virol*, 2013. 87(20): p.11096-106.
- 105.** Lahtela, J., et al., A high-content cellular senescence screen identifies candidate tumor suppressors, including EPHA3. *Cell Cycle*, 2013. 12(4): p. 625-34.
- 106.** Lamore, S.D., et al., Cellular impedance assays for predictive preclinical drug screening of kinase inhibitor cardiovascular toxicity. *Toxicol Sci*, 2013. 135(2): p. 402-13.
- 107.** Lavanya, M., et al., siRNA screen for genes that affect Junin virus entry uncovers voltage-gated calcium channels as a therapeutic target. *Sci Transl Med*, 2013. 5(204): p. 204ra131.
- 108.** Lei, Y. and D.V. Schaffer, A fully defined and scalable 3D culture system for human pluripotent stem cell expansion and differentiation. *Proc Natl Acad Sci U S A*, 2013. 110(52): p. E5039-48.
- 109.** Leuchowius, K.J., et al., Parallel visualization of multiple protein complexes in individual cells in tumor tissue. *Mol Cell Proteomics*, 2013. 12(6): p. 1563-71.
- 110.** Li, W., et al., Brg1 governs distinct pathways to direct multiple aspects of mammalian neural crest cell development. *Proc Natl Acad Sci U S A*, 2013. 110(5): p. 1738-43.
- 111.** Lu, Y.Y., et al., *Bartonella henselae* trimeric autotransporter adhesin BadA expression interferes with effector translocation by the VirB/D4 type IV secretion system. *Cell Microbiol*, 2013. 15(5): p.759-78.
- 112.** Main, H., et al., Notch signaling maintains neural rosette polarity. *PLoS One*, 2013. 8(5): p. e62959.
- 113.** Mangera, A., et al., Comparison of candidate scaffolds for tissue engineering for stress urinary incontinence and pelvic organ prolapse repair. *BJU Int*, 2013. 112(5): p. 674-85.
- 114.** March, S., et al., A microscale human liver platform that supports the hepatic stages of *Plasmodium falciparum* and vivax. *Cell Host Microbe*, 2013. 14(1): p. 104-15.
- 115.** McCluskey, A., et al., Building a better dynasore: the dyngo compounds potently inhibit dynamin and endocytosis. *Traffic*, 2013. 14(12): p. 1272-89.
- 116.** Merchant, M., et al., Monovalent antibody design and mechanism of action of onartuzumab, a MET antagonist with anti-tumor activity as a therapeutic agent. *Proc Natl Acad Sci U S A*, 2013.110(32): p. E2987-96.
- 117.** Moutinho-Pereira, S., et al., Genes involved in centrosome-independent mitotic spindle assembly in *Drosophila* S2 cells. *Proc Natl Acad Sci U S A*, 2013. 110(49): p. 19808-13.
- 118.** Ortega, I., et al., Development of a microfabricated artificial limbus with micropockets for cell delivery to the cornea. *Biofabrication*, 2013. 5(2): p. 025008.
- 119.** Orth, A. and K. Crozier, Gigapixel fluorescence microscopy with a water immersion microlens array. *Opt Express*, 2013. 21(2): p. 2361-8.
- 120.** Panda, D., et al., Genome-wide RNAi screen identifies SEC61A and VCP as conserved regulators of Sindbis virus entry. *Cell Rep*, 2013. 5(6): p. 1737-48.
- 121.** Paveley, R.A. and Q.D. Bickle, Automated imaging and other developments in whole-organism anthelmintic screening. *Parasite Immunol*, 2013. 35(9-10): p. 302-13.

- 122.** Paviolo, C., et al., Laser exposure of gold nanorods can increase neuronal cell outgrowth. *Biotechnol Bioeng*, 2013. 110(8): p. 2277-91.
- 123.** Peach, K.C., et al., Mechanism of action-based classification of antibiotics using high-content bacterial image analysis. *Mol Biosyst*, 2013. 9(7): p. 1837-48.
- 124.** Peach, K.C., et al., Discovery and Biological Characterization of the Auromomycin Chromophore as an Inhibitor of Biofilm Formation in *Vibrio cholerae*. *Chembiochem*, 2013.
- 125.** Pellegrino, L., et al., miR-23b regulates cytoskeletal remodeling, motility and metastasis by directly targeting multiple transcripts. *Nucleic Acids Res*, 2013. 41(10): p. 5400-12.
- 126.** Perry, K.J. and D.E. Higgins, A differential fluorescence-based genetic screen identifies *Listeria monocytogenes* determinants required for intracellular replication. *J Bacteriol*, 2013. 195(15): p.3331-40.
- 127.** Piccinotti, S., T. Kirchhausen, and S.P. Whelan, Uptake of rabies virus into epithelial cells by clathrin-mediated endocytosis depends upon actin. *J Virol*, 2013. 87(21): p. 11637-47.
- 128.** Pointon, A., et al., Phenotypic profiling of structural cardiotoxins in vitro reveals dependency on multiple mechanisms of toxicity. *Toxicol Sci*, 2013. 132(2): p. 317-26.
- 129.** Puckett, M.C., et al., Integration of apoptosis signal-regulating kinase 1-mediated stress signaling with the Akt/protein kinase B-I kappaB kinase cascade. *Mol Cell Biol*, 2013. 33(11): p.2252-9.
- 130.** Quebatte, M., et al., Dual input control: activation of the *Bartonella henselae* VirB/D4 type IV secretion system by the stringent sigma factor RpoH1 and the BatR/BatS two-component system. *Mol Microbiol*, 2013. 90(4): p. 756-75.
- 131.** Quinones, G.A., et al., Application of a new wall-less plate technology to complex multistep cellbased investigations using suspension cells. *Blood*, 2013. 121(7): p. e25-33.
- 132.** Rishal, I., et al., WIS-NeuroMath enables versatile high throughput analyses of neuronal processes. *Dev Neurobiol*, 2013. 73(3): p. 247-56.
- 133.** Roman, S., et al., Developing a tissue engineered repair material for treatment of stress urinary incontinence and pelvic organ prolapse-which cell source? *Neurourol Urodyn*, 2013.
- 134.** Sakurai, H., et al., Identification of a metabolizing enzyme in human kidney by proteomic correlation profiling. *Mol Cell Proteomics*, 2013. 12(8): p. 2313-23.
- 135.** Sampath, D., et al., Multimodal microvascular imaging reveals that selective inhibition of class I PI3K is sufficient to induce an antivasculär response. *Neoplasia*, 2013. 15(7): p. 694-711.
- 136.** Sanker, S., et al., Development of high-content assays for kidney progenitor cell expansion in transgenic zebrafish. *J Biomol Screen*, 2013. 18(10): p. 1193-202.
- 137.** Schmandke, A., et al., An open source based high content screening method for cell biology laboratories investigating cell spreading and adhesion. *PLoS One*, 2013. 8(10): p. e78212.
- 138.** Schmutz, C., et al., Systems-level overview of host protein phosphorylation during *Shigella flexneri* infection revealed by phosphoproteomics. *Mol Cell Proteomics*, 2013. 12(10): p. 2952-68.
- 139.** Schulze, C.J., et al., "Function-first" lead discovery: mode of action profiling of natural product libraries using image-based screening. *Chem Biol*, 2013. 20(2): p. 285-95.
- 140.** Scott, I.C., et al., Large-scale isolation of human skeletal muscle satellite cells from post-mortem tissue and development of quantitative assays to evaluate modulators of myogenesis. *J Cachexia Sarcopenia Muscle*, 2013. 4(2): p. 157-69.
- 141.** Sekine, S., et al., The role of cyclophilin D in interspecies differences in susceptibility to hepatotoxic drug-induced mitochondrial injury. *Biochem Pharmacol*, 2013. 86(10): p. 1507-14.
- 142.** Shahbuddin, M., et al., High molecular weight plant heteropolysaccharides stimulate fibroblasts but inhibit keratinocytes. *Carbohydr Res*, 2013. 375: p. 90-9.
- 143.** Shao, H., et al., Systematically studying kinase inhibitor induced signaling network signatures by integrating both therapeutic and side effects. *PLoS One*, 2013. 8(12): p. e80832.
- 144.** Sharma, K., et al., Development of a one-step approach for the reconstruction of full thickness skin defects using minced split thickness skin grafts and biodegradable synthetic scaffolds as a dermal substitute. *Burns*, 2013.
- 145.** Sharma, S., et al., An siRNA screen for NFAT activation identifies septins as coordinators of storeoperated Ca²⁺ entry. *Nature*, 2013. 499(7457): p. 238-42.

- 146.** Shaw, S.Y., et al., Selective modulation of autophagy, innate immunity, and adaptive immunity by small molecules. *ACS Chem Biol*, 2013. 8(12): p. 2724-33.
- 147.** Shelat, P.B., et al., The membrane-active tri-block copolymer pluronic F-68 profoundly rescues rat hippocampal neurons from oxygen-glucose deprivation-induced death through early inhibition of apoptosis. *J Neurosci*, 2013. 33(30): p. 12287-99.
- 148.** Sirenko, O., et al., Multiparameter in vitro assessment of compound effects on cardiomyocyte physiology using iPSC cells. *J Biomol Screen*, 2013. 18(1): p. 39-53.
- 149.** Sirenko, O., et al., Assessment of beating parameters in human induced pluripotent stem cells enables quantitative in vitro screening for cardiotoxicity. *Toxicol Appl Pharmacol*, 2013. 273(3): p.500-7.
- 150.** Sivan, G., et al., Human genome-wide RNAi screen reveals a role for nuclear pore proteins in poxvirus morphogenesis. *Proc Natl Acad Sci U S A*, 2013. 110(9): p. 3519-24.
- 151.** Skinner, M., et al., The Contribution of Vegf Signalling to Fostamatinib-Induced Blood Pressure Elevation. *Br J Pharmacol*, 2013.
- 152.** Slater, B., C. Londono, and A.P. McGuigan, An algorithm to quantify correlated collective cell migration behavior. *Biotechniques*, 2013. 54(2): p. 87-92.
- 153.** Sloka, S., et al., Reduction of microglial activity in a model of multiple sclerosis by dipyridamole. *J Neuroinflammation*, 2013. 10: p. 89.
- 154.** Somarelli, J.A., et al., Fluorescence-based alternative splicing reporters for the study of epithelial plasticity in vivo. *RNA*, 2013. 19(1): p. 116-27.
- 155.** Swoboda, J.G., et al., Small molecule mediated proliferation of primary retinal pigment epithelial cells. *ACS Chem Biol*, 2013. 8(7): p. 1407-11.
- 156.** Tang, Y., et al., Differential determinants of cancer cell insensitivity to antimitotic drugs discriminated by a one-step cell imaging assay. *J Biomol Screen*, 2013. 18(9): p. 1062-71.
- 157.** Tat, J., M. Liu, and X.Y. Wen, Zebrafish cancer and metastasis models for in vivo drug discovery. *Drug Discov Today Technol*, 2013. 10(1): p. e83-9.
- 158.** Terriente, J. and C. Pujades, Use of zebrafish embryos for small molecule screening related to cancer. *Dev Dyn*, 2013. 242(2): p. 97-107.
- 159.** Tessereau, C., et al., Direct visualization of the highly polymorphic RNU2 locus in proximity to the BRCA1 gene. *PLoS One*, 2013. 8(10): p. e76054.
- 160.** Toledo, L.I., et al., ATR prohibits replication catastrophe by preventing global exhaustion of RPA. *Cell*, 2013. 155(5): p. 1088-103.
- 161.** Uosaki, H., et al., Identification of chemicals inducing cardiomyocyte proliferation in developmental stage-specific manner with pluripotent stem cells. *Circ Cardiovasc Genet*, 2013.6(6): p. 624-33.
- 162.** Wippich, F., et al., Dual specificity kinase DYRK3 couples stress granule condensation/dissolution to mTORC1 signaling. *Cell*, 2013. 152(4): p. 791-805.
- 163.** Xiao, Y., et al., Dependence of tumor cell lines and patient-derived tumors on the NAD salvage pathway renders them sensitive to NAMPT inhibition with GNE-618. *Neoplasia*, 2013. 15(10): p.1151-60.
- 164.** Xie, J., et al., Development and optimization of a novel assay to measure neutralizing antibodies against Clostridium difficile toxins. *Clin Vaccine Immunol*, 2013. 20(4): p. 517-25.
- 165.** Xu, J., et al., ERK signaling couples nutrient status to antiviral defense in the insect gut. *Proc Natl Acad Sci U S A*, 2013. 110(37): p. 15025-30.
- 166.** Yamazoe, T., et al., A synthetic nanofibrillar matrix promotes in vitro hepatic differentiation of embryonic stem cells and induced pluripotent stem cells. *J Cell Sci*, 2013. 126(Pt 23): p. 5391-9.
- 167.** Yang, J., et al., A nanoparticle formulation that selectively transfects metastatic tumors in mice. *Proc Natl Acad Sci U S A*, 2013. 110(36): p. 14717-22.
- 168.** Yang, Y.H. and J.D. Johnson, Multi-parameter single-cell kinetic analysis reveals multiple modes of cell death in primary pancreatic beta-cells. *J Cell Sci*, 2013. 126(Pt 18): p. 4286-95.
- 169.** Yang, Y.H., et al., Intraislet SLIT-ROBO signaling is required for beta-cell survival and potentiates insulin secretion. *Proc Natl Acad Sci U S A*, 2013. 110(41): p. 16480-5.

- 170.** Yousef, H., et al., hESC-secreted proteins can be enriched for multiple regenerative therapies by heparin-binding. *Aging (Albany NY)*, 2013. 5(5): p. 357-72.
- 171.** Yozzo, K.L., et al., High-content screening assay for identification of chemicals impacting cardiovascular function in zebrafish embryos. *Environ Sci Technol*, 2013. 47(19): p. 11302-10.
- 172.** Yuan, Y., et al., A small-molecule inducer of PDX1 expression identified by high-throughput screening. *Chem Biol*, 2013. 20(12): p. 1513-22.
- 173.** Zhang, B., et al., Asparagine synthetase is an independent predictor of surgical survival and a potential therapeutic target in hepatocellular carcinoma. *Br J Cancer*, 2013. 109(1): p. 14-23.
- 174.** Lacoste, J., K. Young, et al. (2013). Live-cell migration and adhesion turnover assays. *Methods Mol Biol* 931: 61-84.

2012

- 175.** Adams, D. J., M. Dai, et al. (2012). Synthesis, cellular evaluation, and mechanism of action of piperlongumine analogs. *Proc Natl Acad Sci U S A* 109(38): 15115-15120.
- 176.** Agrawal, S. M., C. Silva, et al. (2012). A novel anti-EMMPRIN function-blocking antibody reduces T cell proliferation and neurotoxicity: relevance to multiple sclerosis. *J Neuroinflammation* 9: 64.
- 177.** Amit, S. and A. Yaron (2012). Novel systems for in vivo monitoring and microenvironmental investigations of diabetic neuropathy in a murine model. *J Neural Transm* 119(11): 1317-1325.
- 178.** Arduini, B. L. and A. H. Brivanlou (2012). Modulation of FOXD3 Activity in Human Embryonic Stem Cells Directs Pluripotency and Paraxial Mesoderm Fates. *Stem Cells* 30(10): 2188-2198.
- 179.** Bavamian, S., H. Pontes, et al. (2012). The intercellular synchronization of Ca²⁺ oscillations evaluates Cx36-dependent coupling. *PLoS One* 7(7): e41535.
- 180.** Beran, R. K., R. Sharma, et al. (2012). Cellular growth kinetics distinguish a cyclophilin inhibitor from an HSP90 inhibitor as a selective inhibitor of hepatitis C virus. *PLoS One* 7(2): e30286.
- 181.** Borgegard, T., A. Jureus, et al. (2012). First and second generation gamma-secretase modulators (GSMs) modulate amyloid-beta (Abeta) peptide production through different mechanisms. *J Biol Chem* 287(15): 11810-11819.
- 182.** Bray, M. A., A. N. Fraser, et al. (2012). Workflow and metrics for image quality control in largescale high-content screens. *J Biomol Screen* 17(2): 266-274.
- 183.** Carmody, L. C., A. R. Germain, et al. (2012). Phenotypic high-throughput screening elucidates target pathway in breast cancer stem cell-like cells. *J Biomol Screen* 17(9): 1204-1210.
- 184.** Chang, Y.-T. (2012). Bioimaging of Stem Cells, Live Tissue, and Whole Animals Using Diversity-Oriented Fluorescence Library Approach
- 185.** The Primo Vascular System. K.-S. Soh, K. A. Kang and D. K. Harrison, Springer New York: 285-289.
- 186.** Chen, M., J. A. Maloney, et al. (2012). Spatially coordinated kinase signaling regulates local axon degeneration. *J Neurosci* 32(39): 13439-13453.
- 187.** Chia, J., G. Goh, et al. (2012). RNAi screening reveals a large signaling network controlling the Golgi apparatus in human cells. *Mol Syst Biol* 8.
- 188.** Christie, K. J., J. A. Martinez, et al. (2012). Disruption of E3 ligase NEDD4 in peripheral neurons interrupts axon outgrowth: Linkage to PTEN. *Mol Cell Neurosci* 50(2): 179-192.
- 189.** Chua, K. N., W. J. Sim, et al. (2012). A cell-based small molecule screening method for identifying inhibitors of epithelial-mesenchymal transition in carcinoma. *PLoS One* 7(3): e33183.
- 190.** Chuang, Y. C., W. H. Su, et al. (2012). Macrophage migration inhibitory factor induces autophagy via reactive oxygen species generation. *PLoS One* 7(5): e37613.
- 191.** Cordey, S., T. J. Petty, et al. (2012). Identification of site-specific adaptations conferring increased neural cell tropism during human enterovirus 71 infection. *PLoS Pathog* 8(7): e1002826.
- 192.** Cuny, H., A. de Faoite, et al. (2012). gamma-Aminobutyric acid type B (GABAB) receptor expression is needed for inhibition of N-type (Cav2.2) calcium channels by analgesic alphaconotoxins. *J Biol Chem* 287(28): 23948-23957.
- 193.** Curry, M. C., N. A. Luk, et al. (2012). Distinct regulation of cytoplasmic calcium signals and cell death pathways by different plasma membrane calcium ATPase isoforms in MDA-MB-231 breast cancer cells. *J Biol Chem* 287(34): 28598-28608.

- 194.** Davis, F. M., A. A. Peters, et al. (2012). Non-stimulated, agonist-stimulated and store-operated Ca²⁺ influx in MDA-MB-468 breast cancer cells and the effect of EGF-induced EMT on calcium entry. *PLoS One* 7(5): e36923.
- 195.** De Lorenzo, G., C. Eichwald, et al. (2012). Production of in vivo-biotinylated rotavirus particles. *J Gen Virol* 93(Pt 7): 1474-1482.
- 196.** Derbyshire, E. R., R. Mazitschek, et al. (2012). Characterization of Plasmodium liver stage inhibition by halofuginone. *ChemMedChem* 7(5): 844-849.
- 197.** Drukker, M., C. Tang, et al. (2012). Isolation of primitive endoderm, mesoderm, vascular endothelial and trophoblast progenitors from human pluripotent stem cells. *Nat Biotechnol* 30(6): 531-542.
- 198.** Eulalio, A., M. Mano, et al. (2012). Functional screening identifies miRNAs inducing cardiac regeneration. *Nature* advance online publication.
- 199.** Florian, A. E., C. K. Lepensky, et al. (2012). Flow Cytometry Enables a High-Throughput Homogeneous Fluorescent Antibody-Binding Assay for Cytotoxic T Cell Lytic Granule Exocytosis. *Journal of Biomolecular Screening*.
- 200.** Florian, S. and T. U. Mayer (2012). The functional antagonism between Eg5 and dynein in spindle bipolarization is not compatible with a simple push-pull model. *Cell Rep* 1(5): 408-416.
- 201.** Fomina-Yadlin, D., S. Kubicek, et al. (2012). GW8510 increases insulin expression in pancreatic alpha cells through activation of p53 transcriptional activity. *PLoS One* 7(1): e28808.
- 202.** Fomovska, A., Q. Huang, et al. (2012). Novel N-benzoyl-2-hydroxybenzamide disrupts unique parasite secretory pathway. *Antimicrob Agents Chemother* 56(5): 2666-2682.
- 203.** Fouts, A. E., P. Chan, et al. (2012). Antibodies against the gH/gL/UL128/UL130/UL131 complex comprise the majority of the anti-cytomegalovirus (anti-CMV) neutralizing antibody response in CMV hyperimmune globulin. *J Virol* 86(13): 7444-7447.
- 204.** Harms, A. S., J. K. Lee, et al. (2012). Regulation of microglia effector functions by tumor necrosis factor signaling. *Glia* 60(2): 189-202.
- 205.** Ho, K. K., V. A. McGuire, et al. (2012). Phosphorylation of FOXO3a on Ser-7 by p38 promotes its nuclear localization in response to doxorubicin. *J Biol Chem* 287(2): 1545-1555.
- 206.** Hogh, K. L., C. E. Uy, et al. (2012). Overexpression of PPARalpha in pancreatic beta-cells improves glucose tolerance in diet-induced obese mice. *Exp Physiol*.
- 207.** Hossain, S., M. A. de la Cruz-Morcillo, et al. (2012). Mitogen-activated protein kinase p38 regulates Krox-20 to direct Schwann cell differentiation and peripheral myelination. *Glia* 60(7):1130-1144.
- 208.** Huang, H., A. Lindgren, et al. (2012). High-throughput screening for bioactive molecules using primary cell culture of transgenic zebrafish embryos. *Cell Rep* 2(3): 695-704.
- 209.** Hwang, R. F., T. T. Moore, et al. (2012). Inhibition of the hedgehog pathway targets the tumorassociated stroma in pancreatic cancer. *Mol Cancer Res* 10(9): 1147-1157.
- 210.** Iketani, M., A. Iizuka, et al. (2012). Regulation of neurite outgrowth mediated by localized phosphorylation of protein translational factor eEF2 in growth cones. *Dev Neurobiol*.
- 211.** Jurgeit, A., R. McDowell, et al. (2012). Niclosamide is a proton carrier and targets acidic endosomes with broad antiviral effects. *PLoS Pathog* 8(10): e1002976.
- 212.** Kan, M., G. Guo, et al. (2012). Glucagon-like peptide 1, insulin, sensory neurons, and diabetic neuropathy. *J Neuropathol Exp Neurol* 71(6): 494-510.
- 213.** Kaur, H., P. J. Phillips-Mason, et al. (2012). Cadherin-11, a marker of the mesenchymal phenotype, regulates glioblastoma cell migration and survival in vivo. *Mol Cancer Res* 10(3): 293-304.
- 214.** Kilpatrick, L. E. and N. D. Holliday (2012). Dissecting the pharmacology of G protein-coupled receptor signaling complexes using bimolecular fluorescence complementation. *Methods Mol Biol* 897: 109-138.
- 215.** Kitami, T., D. J. Logan, et al. (2012). A chemical screen probing the relationship between mitochondrial content and cell size. *PLoS One* 7(3): e33755.
- 216.** Koroleva, A., A. A. Gill, et al. (2012). Two-photon polymerization-generated and micromoldingreplicated 3D scaffolds for peripheral neural tissue engineering applications. *Biofabrication* 4(2):025005.
- 217.** Kowalski, M. P., A. Yoder, et al. (2012). Controlling embryonic stem cell growth and differentiation by automation: enhanced and more reliable differentiation for drug discovery. *J Biomol Screen* 17(9): 1171-1179.

- 218.** Ku, M. J., M. Dossin Fde, et al. (2012). An image-based drug susceptibility assay targeting the placental sequestration of Plasmodium falciparum-infected erythrocytes. *PLoS One* 7(8): e41765.
- 219.** Kuhbacher, A., D. Dambourne, et al. (2012). Phosphatidylinositol 5-phosphatase oculocerebrorenal syndrome of Lowe protein (OCRL) controls actin dynamics during early steps of Listeria monocytogenes infection. *J Biol Chem* 287(16): 13128-13136.
- 220.** Kumar, V., P. G. Fahey, et al. (2012). Activation of intracellular metabotropic glutamate receptor 5 in striatal neurons leads to up-regulation of genes associated with sustained synaptic transmission including Arc/Arg3.1 protein. *J Biol Chem* 287(8): 5412-5425.
- 221.** Kurley, S. J., B. Bierie, et al. (2012). p120-catenin is essential for terminal end bud function and mammary morphogenesis. *Development* 139(10): 1754-1764.
- 222.** Kwon, Y. J., W. Lee, et al. (2012). A high-content subtractive screen for selecting small molecules affecting internalization of GPCRs. *J Biomol Screen* 17(3): 379-385.
- 223.** Lacoste, J., C. Vining, et al. (2012). Optimal Conditions for Live Cell Microscopy and Raster Image Correlation Spectroscopy
- 224.** Reviews in Fluorescence 2010. C. D. Geddes, Springer New York. 2010: 269-309.
- 225.** Lau, L. W., M. B. Keough, et al. (2012). Chondroitin sulfate proteoglycans in demyelinated lesions impair remyelination. *Ann Neurol* 72(3): 419-432.
- 226.** Lee, C. Y., R. L. Johnson, et al. (2012). High-throughput screening for genes that prevent excess DNA replication in human cells and for molecules that inhibit them. *Methods* 57(2): 234-248.
- 227.** Lee, J. S., Y. K. Kim, et al. (2012). Identification of cancer cell-line origins using fluorescence image-based phenomic screening. *PLoS One* 7(2): e32096.
- 228.** Lee, S. C., N. Y. Kang, et al. (2012). Development of a fluorescent chalcone library and its application in the discovery of a mouse embryonic stem cell probe. *Chem Commun (Camb)* 48(53): 6681-6683.
- 229.** Li, Y., Y. Li, et al. (2012). Neurofibromin modulates adult hippocampal neurogenesis and behavioral effects of antidepressants. *J Neurosci* 32(10): 3529-3539.
- 230.** Liguori, M. J., C. H. Lee, et al. (2012). AhR activation underlies the CYP1A autoinduction by A-998679 in rats. *Front Genet* 3: 213.
- 231.** Lim, P., A. Mahammed, et al. (2012). Differential cytostatic and cytotoxic action of Metallocorroles against human cancer cells: potential platforms for anticancer drug development. *Chem Res Toxicol* 25(2): 400-409.
- 232.** Lin, S., Y. Zhao, et al. (2012). Zebrafish High-Throughput Screening to Study the Impact of Dissolvable Metal Oxide Nanoparticles on the Hatching Enzyme, ZHE1. Small: n/a-n/a.
- 233.** Lin, S., Y. Zhao, et al. (2012). Zebrafish High-Throughput Screening to Study the Impact of Dissolvable Metal Oxide Nanoparticles on the Hatching Enzyme, ZHE1. Small: n/a-n/a.
- 234.** Lin, S., Y. Zhao, et al. (2012). Zebrafish: An In Vivo Model for Nano EHS Studies. Small: n/a-n/a.
- 235.** Lovric, J., M. Mano, et al. (2012). Terminal Differentiation of Cardiac and Skeletal Myocytes Induces Permissivity to AAV Transduction by Relieving Inhibition Imposed by DNA Damage Response Proteins. *Mol Ther* 20(11): 2087-2097.
- 236.** Lu, Y.-Y., B. Franz, et al. (2012). *Bartonella henselae* trimeric autotransporter adhesin BadA expression interferes with effector translocation by the VirB/D4 type IV secretion system. *Cellular Microbiology*: n/a-n/a.
- 237.** Ma, M. P. and M. Chircop (2012). SNX9, SNX18 and SNX33 are required for progression through and completion of mitosis. *J Cell Sci*.
- 238.** Mahiet, C., A. Ergani, et al. (2012). Structural variability of the herpes simplex virus 1 genome in vitro and in vivo. *J Virol* 86(16): 8592-8601.
- 239.** Manson, M. E., D. A. Corey, et al. (2012). Regulatory role of beta-arrestin-2 in cholesterol processing in cystic fibrosis epithelial cells. *J Lipid Res* 53(7): 1268-1276.
- 240.** Marine, S., J. Freeman, et al. (2012). High-throughput transfection of differentiated primary neurons from rat forebrain. *J Biomol Screen* 17(5): 692-696.
- 241.** Martinez, T. N., X. Chen, et al. (2012). Ceramide sphingolipid signaling mediates Tumor Necrosis Factor (TNF)-dependent toxicity via caspase signaling in dopaminergic neurons. *Mol Neurodegener* 7: 45.

- 242.** Martinez, Y., F. Bena, et al. (2012). Cellular diversity within embryonic stem cells: pluripotent clonal sublines show distinct differentiation potential. *J Cell Mol Med* 16(3): 456-467.
- 243.** Matsuura, K., M. Wada, et al. (2012). Creation of human cardiac cell sheets using pluripotent stem cells. *Biochem Biophys Res Commun* 425(2): 321-327.
- 244.** Matthews, D. R., G. O. Fruhwirth, et al. (2012). A multi-functional imaging approach to highcontent protein interaction screening. *PLoS One* 7(4): e33231.
- 245.** Michal, A. M., C. H. So, et al. (2012). G Protein-coupled receptor kinase 5 is localized to centrosomes and regulates cell cycle progression. *J Biol Chem* 287(9): 6928-6940.
- 246.** Mikasova, L., P. De Rossi, et al. (2012). Disrupted surface cross-talk between NMDA and Ephrin-B2 receptors in anti-NMDA encephalitis. *Brain* 135(Pt 5): 1606-1621.
- 247.** Miller, G. W., L. Ulatowski, et al. (2012). The alpha-Tocopherol Transfer Protein Is Essential for Vertebrate Embryogenesis. *PLoS One* 7(10): e47402.
- 248.** Miscevic, F., O. Rotstein, et al. (2012). Advances in zebrafish high content and high throughput technologies. *Comb Chem High Throughput Screen* 15(7): 515-521.
- 249.** Moser, T. S., D. Schieffer, et al. (2012). AMP-activated kinase restricts Rift Valley fever virus infection by inhibiting fatty acid synthesis. *PLoS Pathog* 8(4): e1002661.
- 250.** Naoe, H., T. Chiyoda, et al. (2012). The APC/C activator Cdh1 regulates the G2/M transition during differentiation of placental trophoblast stem cells. *Biochem Biophys Res Commun*.
- 251.** Navarro, G., S. Chokpaiboon, et al. (2012). Hit-to-Lead Development of the Chamigrane Endoperoxide Merulin A for the Treatment of African Sleeping Sickness. *PLoS One* 7(9): e46172.
- 252.** Ni, M., P. K. Zimmermann, et al. (2012). The use of a library of industrial materials to determine the nature of substrate-dependent performance of primary adherent human cells. *Biomaterials* 33(2): 353-364.
- 253.** Ohnuki, H., H. Inoue, et al. (2012). BAZF, a novel component of cullin3-based E3 ligase complex, mediates VEGFR and Notch cross-signaling in angiogenesis. *Blood* 119(11): 2688-2698.
- 254.** Ortega, I., A. J. Ryan, et al. (2012). Combined microfabrication and electrospinning to produce 3-D architectures for corneal repair. *Acta Biomater*.
- 255.** Orth, A. and K. Crozier (2012). Microscopy with microlens arrays: high throughput, high resolution and light-field imaging. *Opt Express* 20(12): 13522-13531.
- 256.** Otani, Y., T. Kijima, et al. (2012). Suppression of metastases of small cell lung cancer cells in mice by a peptidic CXCR4 inhibitor TF14016. *FEBS Lett* 586(20): 3639-3644.
- 257.** Pagano, A., S. Honore, et al. (2012). Epothilone B inhibits migration of glioblastoma cells by inducing microtubule catastrophes and affecting EB1 accumulation at microtubule plus ends. *Biochem Pharmacol* 84(4): 432-443.
- 258.** Pandey, N., M. T. Fahey, et al. (2012). Sequences Located within the N-Terminus of the PD-Linked LRRK2 Lead to Increased Aggregation and Attenuation of 6-Hydroxydopamine-Induced Cell Death. *PLoS One* 7(9): e45149.
- 259.** Park, B. O., R. Ahrends, et al. (2012). Consecutive Positive Feedback Loops Create a Bistable Switch that Controls Preadipocyte-to-Adipocyte Conversion. *Cell Rep* 2(4): 976-990.
- 260.** Paveley, R. A., N. R. Mansour, et al. (2012). Whole organism high-content screening by label-free, image-based Bayesian classification for parasitic diseases. *PLoS Negl Trop Dis* 6(7): e1762.
- 261.** Pegoraro, G., T. C. Voss, et al. (2012). Identification of mammalian protein quality control factors by high-throughput cellular imaging. *PLoS One* 7(2): e31684.
- 262.** Peters, A. A., P. T. Simpson, et al. (2012). Calcium Channel TRPV6 as a Potential Therapeutic Target in Estrogen Receptor-Negative Breast Cancer. *Mol Cancer Ther* 11(10): 2158-2168.
- 263.** Pham, K., R. Shimoni, et al. (2012). Divergent lymphocyte signalling revealed by a powerful new tool for analysis of time-lapse microscopy. *Immunol Cell Biol*.
- 264.** Poucher, S. M., S. Cheetham, et al. (2012). Effects of saxagliptin and sitagliptin on glycaemic control and pancreatic beta-cell mass in a streptozotocin-induced mouse model of type 2 diabetes. *Diabetes Obes Metab* 14(10): 918-926.
- 265.** Quinones, G. A., S. C. Miller, et al. (2012). Ultrasensitive detection of cellular protein interactions using bioluminescence resonance energy transfer quantum dot-based nanoprobes. *J Cell Biochem* 113(7): 2397-2405.

- 266.** Rajamohan, D., E. Matsa, et al. (2012). Current status of drug screening and disease modelling in human pluripotent stem cells. *Bioessays*.
- 267.** Rezania, A., J. E. Bruin, et al. (2012). Maturation of human embryonic stem cell-derived pancreatic progenitors into functional islets capable of treating pre-existing diabetes in mice. *Diabetes* 61(8): 2016-2029.
- 268.** Rishal, I., O. Golani, et al. (2012). WIS-Neuromath enables versatile high throughput analyses of neuronal processes. *Dev Neurobiol*.
- 269.** Rishal, I., N. Kam, et al. (2012). A motor-driven mechanism for cell-length sensing. *Cell Rep* 1(6):608-616.
- 270.** Sakamuru, S., X. Li, et al. (2012). Application of a homogenous membrane potential assay to assess mitochondrial function. *Physiol Genomics* 44(9): 495-503.
- 271.** Santos, S. D., R. Wollman, et al. (2012). Spatial positive feedback at the onset of mitosis. *Cell* 149(7): 1500-1513.
- 272.** Schulz, M. M., F. Reisen, et al. (2012). Phenotype-based high-content chemical library screening identifies statins as inhibitors of in vivo lymphangiogenesis. *Proc Natl Acad Sci U S A* 109(40): E2665-2674.
- 273.** Sela, Y., N. Molotski, et al. (2012). Human embryonic stem cells exhibit increased propensity to differentiate during the G1 phase prior to phosphorylation of retinoblastoma protein. *Stem Cells* 30(6): 1097-1108.
- 274.** Serbus, L. R., F. Landmann, et al. (2012). A Cell-Based Screen Reveals that the Albendazole Metabolite, Albendazole Sulfone, Targets Wolbachia. *PLoS Pathog* 8(9): e1002922.
- 275.** Shams, K. and A. D. Burden (2012). Updates from the Sixth International Congress 'Psoriasis: from Gene to Clinic', the Queen Elizabeth II Conference Centre, London, U.K., 1-3 December 2011. *Br J Dermatol* 167(4): 757-761.
- 276.** Sharivkin, R., M. D. Walker, et al. (2012). Proteomics-based dissection of human endoderm progenitors by differential cell capture on antibody array. *Mol Cell Proteomics* 11(9): 586-595.
- 277.** Shore, D. E., C. E. Carr, et al. (2012). Induction of cytoprotective pathways is central to the extension of lifespan conferred by multiple longevity pathways. *PLoS Genet* 8(7): e1002792.
- 278.** Singh, B., Y. Xu, et al. (2012). Resistance to trophic neurite outgrowth of sensory neurons exposed to insulin. *J Neurochem* 121(2): 263-276.
- 279.** Sirenko, O., C. Crittenden, et al. (2012). Multiparameter In Vitro Assessment of Compound Effects on Cardiomyocyte Physiology Using iPSC Cells. *J Biomol Screen*.
- 280.** Snijder, B., R. Sacher, et al. (2012). Single-cell analysis of population context advances RNAi screening at multiple levels. *Mol Syst Biol* 8: 579.
- 281.** Stoddart, L. A., A. J. Vernal, et al. (2012). Fragment screening at adenosine-a(3) receptors in living cells using a fluorescence-based binding assay. *Chem Biol* 19(9): 1105-1115.
- 282.** Surmacz, B., H. Fox, et al. (2012). Directing differentiation of human embryonic stem cells toward anterior neural ectoderm using small molecules. *Stem Cells* 30(9): 1875-1884.
- 283.** Tabone-Eglinger, S., M. Wehrle-Haller, et al. (2012). Membrane-bound Kit ligand regulates melanocyte adhesion and survival, providing physical interaction with an intraepithelial niche. *FASEB J* 26(9): 3738-3753.
- 284.** Taing, M. W., J. T. Pierson, et al. (2012). Mango fruit peel and flesh extracts affect adipogenesis in 3T3-L1 cells. *Food Funct* 3(8): 828-836.
- 285.** Tam, S. J., D. L. Richmond, et al. (2012). Death receptors DR6 and TROY regulate brain vascular development. *Dev Cell* 22(2): 403-417.
- 286.** Tan, X., L. Hu, et al. (2012). Systematic identification of synergistic drug pairs targeting HIV. *Nat Biotechnol*.
- 287.** Terriente, J. and C. Pujades (2012). Use of zebrafish embryos for small molecule screening related to cancer. *Developmental Dynamics*: n/a-n/a.
- 288.** Tortorella, L. L., N. H. Pipalia, et al. (2012). Efficiency of immunotoxin cytotoxicity is modulated by the intracellular itinerary. *PLoS One* 7(10): e47320.
- 289.** Tracy, S. I., K. Kakalacheva, et al. (2012). Persistence of epstein-barr virus in self-reactive memory B cells. *J Virol* 86(22): 12330-12340.
- 290.** Ungermannova, D., S. J. Parker, et al. (2012). Identification and mechanistic studies of a novel ubiquitin E1 inhibitor. *J Biomol Screen* 17(4): 421-434.
- 291.** Uray, I. P., J. M. Rodenberg, et al. (2012). Cancer-preventive rexinoid modulates neutral lipid contents of mammary epithelial cells through a peroxisome proliferator-activated receptor gamma-dependent mechanism. *Mol Pharmacol* 81(2): 228-238.

- 292.** Valentin-Hansen, L., M. Groenen, et al. (2012). The Arginine of the DRY Motif in Transmembrane Segment III Functions as a Balancing Micro-switch in the Activation of the beta2-Adrenergic Receptor. *J Biol Chem* 287(38): 31973-31982.
- 293.** Wahlby, C., L. Kamentsky, et al. (2012). An image analysis toolbox for high-throughput *C. elegans* assays. *Nat Methods* 9(7): 714-716.
- 294.** Wallin, J. J., J. Guan, et al. (2012). Active PI3K pathway causes an invasive phenotype which can be reversed or promoted by blocking the pathway at divergent nodes. *PLoS One* 7(5): e36402.
- 295.** Walpita, D., T. Hasaka, et al. (2012). A human islet cell culture system for high-throughput screening. *J Biomol Screen* 17(4): 509-518.
- 296.** Wang, C., I. P. Uray, et al. (2012). SLC22A5/OCTN2 expression in breast cancer is induced by estrogen via a novel intronic estrogen-response element (ERE). *Breast Cancer Res Treat* 134(1):101-115.
- 297.** Wang, M., G. B. Sun, et al. (2012). Cardioprotective effect of salvianolic acid B against arsenic trioxide-induced injury in cardiac H9c2 cells via the PI3K/Akt signal pathway. *Toxicol Lett*.
- 298.** Wanngren, J., J. Ottervald, et al. (2012). Second Generation gamma-Secretase Modulators Exhibit Different Modulation of Notch beta and Abeta Production. *J Biol Chem* 287(39): 32640-32650.
- 299.** Watson, S. J., A. J. Brown, et al. (2012). Differential signaling by splice variants of the human free fatty acid receptor GPR120. *Mol Pharmacol* 81(5): 631-642.
- 300.** Wen, Q., B. Goldenson, et al. (2012). Identification of regulators of polyploidization presents therapeutic targets for treatment of AMKL. *Cell* 150(3): 575-589.
- 301.** Wong, Weng R., Allen G. Oliver, et al. (2012). Development of Antibiotic Activity Profile Screening for the Classification and Discovery of Natural Product Antibiotics. *Chemistry & biology* 19(11):1483-1495.
- 302.** Wong, Weng R., Allen G. Oliver, et al. (2012). Development of Antibiotic Activity Profile Screening for the Classification and Discovery of Natural Product Antibiotics. *Chemistry & biology* 19(11):1483-1495.
- 303.** Wurzenberger, C., M. Held, et al. (2012). Sds22 and Repo-Man stabilize chromosome segregation by counteracting Aurora B on anaphase kinetochores. *J Cell Biol* 198(2): 173-183.
- 304.** Xu, X., Q. Wang, et al. (2012). Stress-mediated p38 activation promotes somatic cell reprogramming. *Cell Res.*
- 305.** Yeh, J. R., X. Zhang, et al. (2012). Indirect effects of Wnt3a/beta-catenin signalling support mouse spermatogonial stem cells in vitro. *PLoS One* 7(6): e40002.
- 306.** Yuan, Y., Q. Wang, et al. (2012). A small-molecule probe of the histone methyltransferase G9a induces cellular senescence in pancreatic adenocarcinoma. *ACS Chem Biol* 7(7): 1152-1157.
- 307.** Yun, S. W., C. Leong, et al. (2012). Neural stem cell specific fluorescent chemical probe binding to FABP7. *Proc Natl Acad Sci U S A* 109(26): 10214-10217.
- 308.** Zeisel, A., A. Yitzhaky, et al. (2012). qCMA: A Desktop Application for Quantitative Collective Cell Migration Analysis. *J Biomol Screen*.
- 309.** Zhang, H., D. R. Dunphy, et al. (2012). Processing Pathway Dependence of Amorphous Silica Nanoparticle Toxicity: Colloidal vs Pyrolytic. *J Am Chem Soc* 134(38): 15790-15804.
- 310.** Zhang, H., L. A. Etherington, et al. (2012). Regulation of AMPA receptor surface trafficking and synaptic plasticity by a cognitive enhancer and antidepressant molecule. *Mol Psychiatry*.
- 311.** Zhang, R. and X. Xie (2012). Tools for GPCR drug discovery. *Acta Pharmacol Sin* 33(3): 372-384.
- 312.** Zhao, C., J. Hua, et al. (2012). Identifying mechanistic similarities in drug responses. *Bioinformatics* 28(14): 1902-1910.
- 313.** Zhong, Q., A. G. Busetto, et al. (2012). Unsupervised modeling of cell morphology dynamics for time-lapse microscopy. *Nat Methods* 9(7): 711-713.
- 314.** Zhuang, G., X. Wu, et al. (2012). Tumour-secreted miR-9 promotes endothelial cell migration and angiogenesis by activating the JAK-STAT pathway. *EMBO J* 31(17): 3513-3523.
- 315.** Zuo, J., K. K. Quinn, et al. (2012). Fluoxetine is a potent inhibitor of coxsackievirus replication. *Antimicrob Agents Chemother* 56(9): 4838-4844.

2011

316. 252. Anastassopoulou, C. G., B. B. Fuchs, et al. (2011). *Caenorhabditis elegans*-based Model Systems for Antifungal Drug Discovery. *Curr Pharm Des* 17(13): 1225-1233.
317. Cao, Y., J. F. Staropoli, et al. (2011). Distinct early molecular responses to mutations causing vLINCL and JNCL presage ATP synthase subunit C accumulation in cerebellar cells. *PLoS One* 6(2):e17118.
318. Chaipan, C., K. A. Dilley, et al. (2011). Severe restriction of xenotropic murine leukemia virusrelated virus replication and spread in cultured human peripheral blood mononuclear cells. *J Virol* 85(10): 4888-4897.
319. Cheng, G., K. Chan, et al. (2011). Selection of clinically relevant protease inhibitor-resistant viruses using the genotype 2a hepatitis C virus infection system. *Antimicrob Agents Chemother* 55(5): 2197-2205.
320. Cherry, S. (2011). RNAi screening for host factors involved in viral infection using *Drosophila* cells. *Methods Mol Biol* 721: 375-382.
321. Chou, T. F. and R. J. Deshaies (2011). Quantitative cell-based protein degradation assays to identify and classify drugs that target the ubiquitin-proteasome system. *J Biol Chem* 286(19):16546-16554.
322. Conboy, I. M., H. Yousef, et al. (2011). Embryonic anti-aging niche. *Aging (Albany NY)* 3(5): 555-563.
323. Contin, R., F. Arnoldi, et al. (2011). Rotavirus replication requires a functional proteasome for effective assembly of viroplasms. *J Virol* 85(6): 2781-2792.
324. Coyne, C. B. and S. Cherry (2011). RNAi screening in mammalian cells to identify novel host cell molecules involved in the regulation of viral infections. *Methods Mol Biol* 721: 397-405.
325. Davis, F. M., P. A. Kenny, et al. (2011). Remodeling of Purinergic Receptor-Mediated Ca Signaling as a Consequence of EGF-Induced Epithelial-Mesenchymal Transition in Breast Cancer Cells. *PLoS One* 6(8): e23464.
326. Dellacasa-Lindberg, I., J. M. Fuks, et al. (2011). Migratory activation of primary cortical microglia upon infection with *Toxoplasma gondii*. *Infect Immun* 79(8): 3046-3052.
327. Delvecchio, C., J. Tiefenbach, et al. (2011). The Zebrafish: A Powerful Platform for In Vivo, HTS Drug Discovery. *Assay Drug Dev Technol* 9(4): 354-361.
328. Engelke, M. F., C. J. Burckhardt, et al. (2011). The Dynactin Complex Enhances the Speed of Microtubule-Dependent Motions of Adenovirus Both Towards and Away from the Nucleus. *Viruses* 3(3): 233-253.
329. Eulalio, A., K. S. Frohlich, et al. (2011). A candidate approach implicates the secreted *Salmonella* effector protein SpvB in P-body disassembly. *PLoS One* 6(3): e17296.
330. Filipovic, A., J. H. Gronau, et al. (2011). Biological and clinical implications of nicastrin expression in invasive breast cancer. *Breast Cancer Res Treat* 125(1): 43-53.
331. Genovesio, A., M. A. Giardini, et al. (2011). Visual genome-wide RNAi screening to identify human host factors required for *Trypanosoma cruzi* infection. *PLoS One* 6(5): e19733.
332. Genovesio, A., Y. J. Kwon, et al. (2011). Automated Genome-Wide Visual Profiling of Cellular Proteins Involved in HIV Infection. *J Biomol Screen*.
333. George, S., S. Pokhrel, et al. (2011). Role of Fe doping in tuning the band gap of TiO₂ for the photo-oxidation-induced cytotoxicity paradigm. *J Am Chem Soc* 133(29): 11270-11278.
334. Gordon, G. J., R. Bueno, et al. (2011). Genes associated with prognosis after surgery for malignant pleural mesothelioma promote tumor cell survival in vitro. *BMC Cancer* 11: 169.
335. Guzi, T. J., K. Paruch, et al. (2011). Targeting the replication checkpoint using SCH 900776, a potent and functionally selective CHK1 inhibitor identified via high content screening. *Mol Cancer Ther* 10(4): 591-602.
336. Haider, A. J., D. Briggs, et al. (2011). Dimerization of ABCG2 analysed by bimolecular fluorescence complementation. *PLoS One* 6(10): e25818.
337. Harrigan, J. A., R. Belotserkovskaya, et al. (2011). Replication stress induces 53BP1-containing OPT domains in G1 cells. *J Cell Biol* 193(1): 97-108.
338. Huebner, E. A., B. G. Kim, et al. (2011). A multi-domain fragment of Nogo-A protein is a potent inhibitor of cortical axon regeneration via Nogo receptor 1. *J Biol Chem* 286(20): 18026-18036.
339. Kaewkhaw, R., A. M. Scutt, et al. (2011). Anatomical site influences the differentiation of adiposederived stem cells for Schwann-cell phenotype and function. *Glia* 59(5): 734-749.
340. Kamei, K., J. Sun, et al. (2011). Microfluidic image cytometry. *Methods Mol Biol* 706: 191-206.

- 341.** Kanungo, J., S. Lantz, et al. (2011). In vivo imaging and quantitative analysis of changes in axon length using transgenic zebrafish embryos. *Neurotoxicol Teratol* 33(6): 618-623.
- 342.** Kim, K. D., S. Srikanth, et al. (2011). ORAI1 Deficiency Impairs Activated T Cell Death and Enhances T Cell Survival. *J Immunol.*
- 343.** Kim, M. L., I. Sorg, et al. (2011). Endocytosis-independent function of clathrin heavy chain in the control of basal NF- κ B activation. *PLoS One* 6(2): e17158.
- 344.** Kim, Y. and E. Mylonakis (2011). Killing of *Candida albicans* filaments by *Salmonella enterica* serovar Typhimurium is mediated by sopB effectors, parts of a type III secretion system. *Eukaryot Cell* 10(6): 782-790.
- 345.** Kondo, S. and N. Perrimon (2011). A genome-wide RNAi screen identifies core components of the G-M DNA damage checkpoint. *Sci Signal* 4(154): rs1.
- 346.** Lee, J. K., J. Chung, et al. (2011). Regulator of G-Protein Signaling-10 Negatively Regulates NF- κ B in Microglia and Neuroprotects Dopaminergic Neurons in Hemiparkinsonian Rats. *J Neurosci* 31(33): 11879-11888.
- 347.** McAndrew, D., D. M. Grice, et al. (2011). ORAI1-mediated calcium influx in lactation and in breast cancer. *Mol Cancer Ther* 10(3): 448-460.
- 348.** Millour, J., N. de Olano, et al. (2011). ATM and p53 regulate FOXM1 expression via E2F in breast cancer epirubicin treatment and resistance. *Mol Cancer Ther* 10(6): 1046-1058.
- 349.** Misselwitz, B., S. K. Kreibich, et al. (2011). *Salmonella enterica* serovar Typhimurium binds to HeLa cells via Fim-mediated reversible adhesion and irreversible type three secretion system 1-mediated docking. *Infect Immun* 79(1): 330-341.
- 350.** Moreau, D., P. Kumar, et al. (2011). Genome-wide RNAi screens identify genes required for Ricin and PE intoxications. *Dev Cell* 21(2): 231-244.
- 351.** Nagashima, K., S. D. Shumway, et al. (2011). Genetic and pharmacological inhibition of PDK1 in cancer cells: characterization of a selective allosteric kinase inhibitor. *J Biol Chem* 286(8): 6433-6448.
- 352.** Ozdener, M. H., J. G. Brand, et al. (2011). Characterization of human fungiform papillae cells in culture. *Chem Senses* 36(7): 601-612.
- 353.** Peach, K. C., W. M. Bray, et al. (2011). An image-based 384-well high-throughput screening method for the discovery of biofilm inhibitors in *Vibrio cholerae*. *Mol Biosyst* 7(4): 1176-1184.
- 354.** Peak, E. and K. F. Hoffmann (2011). Cross-disciplinary approaches for measuring parasitic helminth viability and phenotype. *An Acad Bras Cienc* 83(2): 649-662.
- 355.** Pipalia, N. H., C. C. Cosner, et al. (2011). Histone deacetylase inhibitor treatment dramatically reduces cholesterol accumulation in Niemann-Pick type C1 mutant human fibroblasts. *Proc Natl Acad Sci U S A* 108(14): 5620-5625.
- 356.** Poburko, D., J. Santo-Domingo, et al. (2011). Dynamic regulation of the mitochondrial proton gradient during cytosolic calcium elevations. *J Biol Chem* 286(13): 11672-11684.
- 357.** Pokrovskii, M. V., C. O. Bush, et al. (2011). Novel mutations in a tissue culture-adapted hepatitis C virus strain improve infectious-virus stability and markedly enhance infection kinetics. *J Virol* 85(8): 3978-3985.
- 358.** Puntener, D., M. F. Engelke, et al. (2011). Stepwise loss of fluorescent core protein V from human adenovirus during entry into cells. *J Virol* 85(1): 481-496.
- 359.** Radoshitzky, S. R., K. L. Warfield, et al. (2011). Ebolavirus $\{\delta\}$ -Peptide immunoadhesins inhibit marburgvirus and ebolavirus cell entry. *J Virol* 85(17): 8502-8513.
- 360.** Reiterer, V., L. Grossniklaus, et al. (2011). *Shigella flexneri* type III secreted effector OspF reveals new crosstalks of proinflammatory signaling pathways during bacterial infection. *Cell Signal* 23(7): 1188-1196.
- 361.** Robeson, R. H. and T. Dunckley (2011). High-content RNA interference assay: analysis of tau hyperphosphorylation as a generic paradigm. *Methods Mol Biol* 700: 221-238.
- 362.** Robinson, M., Y. Tian, et al. (2011). Preexisting drug-resistance mutations reveal unique barriers to resistance for distinct antivirals. *Proc Natl Acad Sci U S A* 108(25): 10290-10295.
- 363.** Schulte, J., K. J. Sepp, et al. (2011). High-Content Chemical and RNAi Screens for Suppressors of Neurotoxicity in a Huntington's Disease Model. *PLoS One* 6(8): e23841.
- 364.** Senapedis, W. T., C. J. Kennedy, et al. (2011). Whole genome siRNA cell-based screen links mitochondria to Akt signaling network through uncoupling of electron transport chain. *Mol Biol Cell* 22(10): 1791-1805.

- 365.** Sharma, S., G. M. Findlay, et al. (2011). Dephosphorylation of the nuclear factor of activated T cells (NFAT) transcription factor is regulated by an RNA-protein scaffold complex. *Proc Natl Acad Sci U S A* 108(28): 11381-11386.
- 366.** Sherman, S. P., J. A. Alva, et al. (2011). Human pluripotent stem cells: the development of highcontent screening strategies. *Methods Mol Biol* 767: 283-295.
- 367.** Soni, M. and F. Lai (2011). Cell-based co-transfection microarrays for use with HEK293T cells on a poly D-lysine-coated polystyrene microplate. *Methods Mol Biol* 706: 13-25.
- 368.** Speck, M., Y. M. Cho, et al. (2011). Duodenal-jejunal bypass protects GK rats from {beta}-cell loss and aggravation of hyperglycemia and increases enteroendocrine cells coexpressing GIP and GLP-1. *Am J Physiol Endocrinol Metab* 300(5): E923-932.
- 369.** Stoops, S. L., A. S. Pearson, et al. (2011). Identification and optimization of small molecules that restore E-cadherin expression and reduce invasion in colorectal carcinoma cells. *ACS Chem Biol* 6(5): 452-465.
- 370.** Szabat, M., T. B. Kalynyak, et al. (2011). Musashi expression in beta-cells coordinates insulin expression, apoptosis and proliferation in response to endoplasmic reticulum stress in diabetes. *Cell Death Dis* 2: e232.
- 371.** Tao, H., Q. Jin, et al. (2011). Small molecule antagonists in distinct binding modes inhibit drugresistant mutant of smoothened. *Chem Biol* 18(4): 432-437.
- 372.** Thong, B., J. Pilling, et al. (2011). Development and validation of a simple cell-based fluorescence assay for dipeptidyl peptidase 1 (DPP1) activity. *J Biomol Screen* 16(1): 36-43.
- 373.** Vitorino, P., M. Hammer, et al. (2011). A steering model of endothelial sheet migration recapitulates monolayer integrity and directed collective migration. *Mol Cell Biol* 31(2): 342-350.
- 374.** Vollmer, L. L., M. Jimenez, et al. (2011). A simplified synthesis of novel dictyostatin analogues with in vitro activity against epothilone B-resistant cells and antiangiogenic activity in zebrafish embryos. *Mol Cancer Ther* 10(6): 994-1006.
- 375.** Westwick, J. K. and J. E. Lamerdin (2011). Improving drug discovery with contextual assays and cellular systems analysis. *Methods Mol Biol* 756: 61-73.
- 376.** Yang, Y. H., M. Szabat, et al. (2011). Paracrine signalling loops in adult human and mouse pancreatic islets: netrins modulate beta cell apoptosis signalling via dependence receptors. *Diabetologia* 54(4): 828-842.
- 377.** Yu, J. X. and T. H. Li (2011). Distinct biological effects of different nanoparticles commonly used in cosmetics and medicine coatings. *Cell Biosci* 1(1): 19.
- 378.** Zai, L., C. Ferrari, et al. (2011). Inosine augments the effects of a Nogo receptor blocker and of environmental enrichment to restore skilled forelimb use after stroke. *J Neurosci* 31(16): 5977-5988.
- 379.** Zhao, J. H., W. P. Michalski, et al. (2011). Controlling cell growth on titanium by surface functionalization of heptylamine using a novel combined plasma polymerization mode. *J Biomed Mater Res A* 97(2): 127-134.
- 380.** Zheng, Y., O. A. Brady, et al. (2011). C-terminus of progranulin interacts with the beta-propeller region of sortilin to regulate progranulin trafficking. *PLoS One* 6(6): e21023.

2010

- 381.** Akimana, C., S. Al-Khodor, et al. (2010). Host factors required for modulation of phagosome biogenesis and proliferation of *Francisella tularensis* within the cytosol. *PLoS One* 5(6): e11025.
- 382.** Bhattacharyya, S., K. L. Warfield, et al. (2010). Ebola virus uses clathrin-mediated endocytosis as an entry pathway. *Virology* 401(1): 18-28.
- 383.** Blair, H. T., C. M. Jenkinson, et al. (2010). Dam and granddam feeding during pregnancy in sheep affects milk supply in offspring and reproductive performance in grand-offspring. *J Anim Sci* 88(13 Suppl): E40-50.
- 384.** Caie, P. D., R. E. Walls, et al. (2010). High-content phenotypic profiling of drug response signatures across distinct cancer cells. *Mol Cancer Ther* 9(6): 1913-1926.
- 385.** Canton, I., D. M. Cole, et al. (2010). Development of a 3D human in vitro skin co-culture model for detecting irritants in real-time. *Biotechnol Bioeng* 106(5): 794-803.
- 386.** Canton, I., R. McKean, et al. (2010). Development of an Ibuprofen-releasing biodegradable PLA/PGA electrospun scaffold for tissue regeneration. *Biotechnol Bioeng* 105(2): 396-408.
- 387.** Chen, W., M. Chen, et al. (2010). Development of small molecules targeting the Wnt pathway for the treatment of colon cancer: a high-throughput screening approach. *Am J Physiol Gastrointest Liver Physiol* 299(2): G293-300.

- 388.** Chu, K. Y., Y. Lin, et al. (2010). ATP-citrate lyase reduction mediates palmitate-induced apoptosis in pancreatic beta cells. *J Biol Chem* 285(42): 32606-32615.
- 389.** Culp, P. A., D. Choi, et al. (2010). Antibodies to TWEAK receptor inhibit human tumor growth through dual mechanisms. *Clin Cancer Res* 16(2): 497-508.
- 390.** D'Ambrosio, M. V. and R. D. Vale (2010). A whole genome RNAi screen of *Drosophila* S2 cell spreading performed using automated computational image analysis. *J Cell Biol* 191(3): 471-478.
- 391.** de Lartigue, G., G. Lur, et al. (2010). EGR1 is a target for cooperative interactions between cholecystokinin and leptin, and inhibition by ghrelin, in vagal afferent neurons. *Endocrinology* 151(8): 3589-3599.
- 392.** Dolled-Filhart, M., M. Gustavson, et al. (2010). Automated analysis of tissue microarrays. *Methods Mol Biol* 664: 151-162.
- 393.** Dunn, D. A., D. Apanovitch, et al. (2010). Taking a systems approach to the identification of novel therapeutic targets and biomarkers. *Curr Pharm Biotechnol* 11(7): 721-734.
- 394.** El Chemaly, A., Y. Okochi, et al. (2010). VSOP/Hv1 proton channels sustain calcium entry, neutrophil migration, and superoxide production by limiting cell depolarization and acidification. *J Exp Med* 207(1): 129-139.
- 395.** Fazakerley, D. J., G. D. Holman, et al. (2010). Kinetic evidence for unique regulation of GLUT4 trafficking by insulin and AMP-activated protein kinase activators in L6 myotubes. *J Biol Chem* 285(3): 1653-1660.
- 396.** Filone, C. M., S. L. Hanna, et al. (2010). Rift valley fever virus infection of human cells and insect hosts is promoted by protein kinase C epsilon. *PLoS One* 5(11): e15483.
- 397.** Fomina-Yadlin, D., S. Kubicek, et al. (2010). Small-molecule inducers of insulin expression in pancreatic alpha-cells. *Proc Natl Acad Sci U S A* 107(34): 15099-15104.
- 398.** Gao, Y., K. Deng, et al. (2010). Amphotericin B, identified from a natural product screen, antagonizes CNS inhibitors to promote axon growth via activation of an Akt pathway in neurons. *J Neurochem* 113(5): 1331-1342.
- 399.** Giddings, A. M. and R. Maitra (2010). A disease-relevant high-content screening assay to identify anti-inflammatory compounds for use in cystic fibrosis. *J Biomol Screen* 15(10): 1204-1210.
- 400.** Gill, D. J., J. Chia, et al. (2010). Regulation of O-glycosylation through Golgi-to-ER relocation of initiation enzymes. *J Cell Biol* 189(5): 843-858.
- 401.** Gomez-Sarosi, L. A., M. Strasberg-Rieber, et al. (2010). H(2)O(2) preferentially synergizes with nitroprusside to induce apoptosis associated with superoxide dismutase dysregulation in human melanoma irrespective of p53 status: Antagonism by o-phenanthroline. *Chem Biol Interact* 188(1): 134-143.
- 402.** Gong, D. and J. E. Ferrell, Jr. (2010). The roles of cyclin A2, B1, and B2 in early and late mitotic events. *Mol Biol Cell* 21(18): 3149-3161.
- 403.** Grimsey, N. L., E. S. Graham, et al. (2010). Cannabinoid Receptor 1 trafficking and the role of the intracellular pool: implications for therapeutics. *Biochem Pharmacol* 80(7): 1050-1062.
- 404.** Harris, E. S. and W. J. Nelson (2010). Adenomatous polyposis coli regulates endothelial cell migration independent of roles in beta-catenin signaling and cell-cell adhesion. *Mol Biol Cell* 21(15): 2611-2623.
- 405.** Hill, T. A., A. Mariana, et al. (2010). Iminochromene inhibitors of dynamins I and II GTPase activity and endocytosis. *J Med Chem* 53(10): 4094-4102.
- 406.** Hoffman, G. R., N. J. Moerke, et al. (2010). A high-throughput, cell-based screening method for siRNA and small molecule inhibitors of mTORC1 signaling using the In Cell Western technique. *Assay Drug Dev Technol* 8(2): 186-199.
- 407.** Hoffmann, C., M. Galle, et al. (2010). In macrophages, caspase-1 activation by SopE and the type III secretion system-1 of *S. typhimurium* can proceed in the absence of flagellin. *PLoS One* 5(8): e12477.
- 408.** Huwiler, K. G., T. De Rosier, et al. (2010). A fluorescence anisotropy assay for the muscarinic M1 G-protein-coupled receptor. *Assay Drug Dev Technol* 8(3): 356-366.
- 409.** Im, C. N., N. Y. Kang, et al. (2010). A fluorescent rosamine compound selectively stains pluripotent stem cells. *Angew Chem Int Ed Engl* 49(41): 7497-7500.
- 410.** Jacobsen, J. C., C. S. Bawden, et al. (2010). An ovine transgenic Huntington's disease model. *Hum Mol Genet* 19(10): 1873-1882.
- 411.** Johnson, C., L. Perlin, et al. (2010). Cell Adhesion to Polymethacrylate Networks Prepared by Photopolymerization and Functionalized with GRGDS Peptide or Fibrinogen. *Macromolecular Symposia* 291-292(1): 314-325.

- 412.** Jones, C. T., M. T. Catanese, et al. (2010). Real-time imaging of hepatitis C virus infection using a fluorescent cell-based reporter system. *Nat Biotechnol* 28(2): 167-171.
- 413.** Jurgeit, A., S. Moese, et al. (2010). An RNA replication-center assay for high content image-based quantifications of human rhinovirus and coxsackievirus infections. *Virol J* 7: 264.
- 414.** Kilpatrick, L. E., S. J. Briddon, et al. (2010). Quantitative analysis of neuropeptide Y receptor association with beta-arrestin2 measured by bimolecular fluorescence complementation. *Br J Pharmacol* 160(4): 892-906.
- 415.** Kim, M. L., H. G. Jeong, et al. (2010). IKKalpha contributes to canonical NF-kappaB activation downstream of Nod1-mediated peptidoglycan recognition. *PLoS One* 5(10): e15371.
- 416.** Kim, Y. K., H. H. Ha, et al. (2010). Control of muscle differentiation by a mitochondria-targeted fluorophore. *J Am Chem Soc* 132(2): 576-579.
- 417.** Kojima, R., H. Taniguchi, et al. (2010). Hypertonicity-induced expression of monocyte chemoattractant protein-1 through a novel cis-acting element and MAPK signaling pathways. *J Immunol* 184(9): 5253-5262.
- 418.** Kriston-Vizi, J., C. A. Lim, et al. (2010). An automated high-content screening image analysis pipeline for the identification of selective autophagic inducers in human cancer cell lines. *J Biomol Screen* 15(7): 869-881.
- 419.** Kuai, L., X. Wang, et al. (2010). Chemical genetics identifies small-molecule modulators of neuritogenesis involving neuregulin-1/ErbB4 signaling. *ACS Chem Neurosci* 1(4): 325-342.
- 420.** Li, J., R. Min, et al. (2010). Exploiting the determinants of stochastic gene expression in *Saccharomyces cerevisiae* for genome-wide prediction of expression noise. *Proc Natl Acad Sci U S A* 107(23): 10472-10477.
- 421.** Lieberman, L. A. and D. E. Higgins (2010). Inhibition of *Listeria monocytogenes* infection by neurological drugs. *Int J Antimicrob Agents* 35(3): 292-296.
- 422.** Ma, L., C. Zhou, et al. (2010). A porous 3D cell culture micro device for cell migration study. *Biomed Microdevices* 12(4): 753-760.
- 423.** Malone, J. G., T. Jaeger, et al. (2010). YfiBNR mediates cyclic di-GMP dependent small colony variant formation and persistence in *Pseudomonas aeruginosa*. *PLoS Pathog* 6(3): e1000804.
- 424.** Marcon, L., X. Zhang, et al. (2010). Development of a short-term fluorescence-based assay to assess the toxicity of anticancer drugs on rat stem/progenitor spermatogonia in vitro. *Biol Reprod* 83(2): 228-237.
- 425.** Massignan, T., R. S. Stewart, et al. (2010). A novel, drug-based, cellular assay for the activity of neurotoxic mutants of the prion protein. *J Biol Chem* 285(10): 7752-7765.
- 426.** Massignani, M., Canton, I. , Patikarnmonthon, N. , & Warren, N. (2010). Cellular delivery of antibodies: effective targeted subcellular imaging and new therapeutic tool. *Nature Precedings*.
- 427.** Massignani, M., I. Canton, et al. (2010). Enhanced fluorescence imaging of live cells by effective cytosolic delivery of probes. *PLoS One* 5(5): e10459.
- 428.** Michaelevski, I., Y. Segal-Ruder, et al. (2010). Signaling to transcription networks in the neuronal retrograde injury response. *Sci Signal* 3(130): ra53.
- 429.** Misselwitz, B., G. Strittmatter, et al. (2010). Enhanced CellClassifier: a multi-class classification tool for microscopy images. *BMC Bioinformatics* 11: 30.
- 430.** Moser, T. S., R. G. Jones, et al. (2010). A kinome RNAi screen identified AMPK as promoting poxvirus entry through the control of actin dynamics. *PLoS Pathog* 6(6): e1000954.
- 431.** Narayan, P. J. and M. Dragunow (2010). High content analysis of histone acetylation in human cells and tissues. *J Neurosci Methods* 193(1): 54-61.
- 432.** O'Connor, R. P., S. D. Madison, et al. (2010). Exposure to GSM RF fields does not affect calcium homeostasis in human endothelial cells, rat pheochromocytoma cells or rat hippocampal neurons. *PLoS One* 5(7): e11828.
- 433.** Odell, L. R., D. Howan, et al. (2010). The phthaladyns: GTP competitive inhibitors of dynamin I and II GTPase derived from virtual screening. *J Med Chem* 53(14): 5267-5280.
- 434.** Passer, B. J., T. Cheema, et al. (2010). Identification of the ENT1 antagonists dipyridamole and dilazep as amplifiers of oncolytic herpes simplex virus-1 replication. *Cancer Res* 70(10): 3890-3895.
- 435.** Peng, F., E. M. Hoek, et al. (2010). High-content screening for biofilm assays. *J Biomol Screen* 15(7): 748-754.
- 436.** Pilling, J., H. Garside, et al. (2010). Development of a quantitative 96-well method to image glycogen storage in primary rat hepatocytes. *Mol Cell Biochem* 341(1-2): 73-78.

- 437.** Piwko, W., M. H. Olma, et al. (2010). RNAi-based screening identifies the Mms22L-Nfkbil2 complex as a novel regulator of DNA replication in human cells. *EMBO J* 29(24): 4210-4222.
- 438.** Robinson, S. J., B. I. Morinaka, et al. (2010). New structures and bioactivity properties of jasplakinolide (jaspamide) analogues from marine sponges. *J Med Chem* 53(4): 1651-1661.
- 439.** Rose, R. H., S. J. Briddon, et al. (2010). Bimolecular fluorescence complementation: lighting up seven transmembrane domain receptor signalling networks. *Br J Pharmacol* 159(4): 738-750.
- 440.** Rosenbaum, A. I., C. C. Cosner, et al. (2010). Thiadiazole carbamates: potent inhibitors of lysosomal acid lipase and potential Niemann-Pick type C disease therapeutics. *J Med Chem* 53(14): 5281-5289.
- 441.** Rosenbaum, A. I., G. Zhang, et al. (2010). Endocytosis of beta-cyclodextrins is responsible for cholesterol reduction in Niemann-Pick type C mutant cells. *Proc Natl Acad Sci U S A* 107(12): 5477-5482.
- 442.** Rossi, S. L., G. Nistor, et al. (2010). Histological and functional benefit following transplantation of motor neuron progenitors to the injured rat spinal cord. *PLoS One* 5(7): e11852.
- 443.** Rujoi, M., N. H. Pipalia, et al. (2010). Cholesterol pathways affected by small molecules that decrease sterol levels in Niemann-Pick type C mutant cells. *PLoS One* 5(9): e12788.
- 444.** Salmeen, A., B. O. Park, et al. (2010). The NADPH oxidases NOX4 and DUOX2 regulate cell cycle entry via a p53-dependent pathway. *Oncogene* 29(31): 4473-4484.
- 445.** Schaniel, C., D. F. Lee, et al. (2010). Exploration of self-renewal and pluripotency in ES cells using RNAi. *Methods Enzymol* 477: 351-365.
- 446.** Schmitz, M. H., M. Held, et al. (2010). Live-cell imaging RNAi screen identifies PP2A-B55alpha and importin-beta1 as key mitotic exit regulators in human cells. *Nat Cell Biol* 12(9): 886-893.
- 447.** Schulte, J., K. J. Sepp, et al. (2010). DMob4/Phocean regulates synapse formation, axonal transport, and microtubule organization. *J Neurosci* 30(15): 5189-5203.
- 448.** Scotter, E. L., C. E. Goodfellow, et al. (2010). Neuroprotective potential of CB1 receptor agonists in an in vitro model of Huntington's disease. *Br J Pharmacol* 160(3): 747-761.
- 449.** Smith, A. M., H. M. Gibbons, et al. (2010). Valproic acid enhances microglial phagocytosis of amyloid-beta(1-42). *Neuroscience* 169(1): 505-515.
- 450.** Song, E. J., S. L. Werner, et al. (2010). The Prp19 complex and the Usp4Sart3 deubiquitinating enzyme control reversible ubiquitination at the spliceosome. *Genes Dev* 24(13): 1434-1447.
- 451.** Sparkes, A., W. Aubrey, et al. (2010). Towards Robot Scientists for autonomous scientific discovery. *Autom Exp* 2: 1.
- 452.** Spurges, K. B., T. Alefantis, et al. (2010). Identification of essential filovirion-associated host factors by serial proteomic analysis and RNAi screen. *Mol Cell Proteomics* 9(12): 2690-2703.
- 453.** Su, C. Y., T. J. Cheng, et al. (2010). High-throughput identification of compounds targeting influenza RNA-dependent RNA polymerase activity. *Proc Natl Acad Sci U S A* 107(45): 19151-19156.
- 454.** Takahashi, E., O. Nagano, et al. (2010). Tumor necrosis factor-alpha regulates transforming growth factor-beta-dependent epithelial-mesenchymal transition by promoting hyaluronan-CD44-moesin interaction. *J Biol Chem* 285(6): 4060-4073.
- 455.** Thomas, N. (2010). High-content screening: a decade of evolution. *J Biomol Screen* 15(1): 1-9.
- 456.** Thomas, R., K. Favell, et al. (2010). LGI1 is a Nogo receptor 1 ligand that antagonizes myelinbased growth inhibition. *J Neurosci* 30(19): 6607-6612.
- 457.** Thomas, S. L., J. Zhao, et al. (2010). Activation of the p38 pathway by a novel monoketone curcumin analog, EF24, suggests a potential combination strategy. *Biochem Pharmacol* 80(9): 1309-1316.
- 458.** Tomkiewicz, D., G. Casadei, et al. (2010). Berberine-INF55 (5-nitro-2-phenylindole) hybrid antimicrobials: effects of varying the relative orientation of the berberine and INF55 components. *Antimicrob Agents Chemother* 54(8): 3219-3224.
- 459.** VanderVen, B. C., A. Hermetter, et al. (2010). Development of a novel, cell-based chemical screen to identify inhibitors of intraphagosomal lipolysis in macrophages. *Cytometry A* 77(8): 751-760.
- 460.** Vizeacoumar, F. J., N. van Dyk, et al. (2010). Integrating high-throughput genetic interaction mapping and high-content screening to explore yeast spindle morphogenesis. *J Cell Biol* 188(1): 69-81.
- 461.** Vogt, A., H. Codore, et al. (2010). Development of automated imaging and analysis for zebrafish chemical screens. *J Vis Exp*(40).

- 462.** Wahlby, C., T. Riklin-Raviv, et al. (2010). Resolving Clustered Worms Via Probabilistic Shape Models. Proc IEEE Int Symp Biomed Imaging 2010(14-17 April 2010): 552-555.
- 463.** Wang, J., J. Lu, et al. (2010). Identification of select glucocorticoids as Smoothened agonists: potential utility for regenerative medicine. Proc Natl Acad Sci U S A 107(20): 9323-9328.
- 464.** Warren, T. K., K. L. Warfield, et al. (2010). Antiviral activity of a small-molecule inhibitor of filovirus infection. Antimicrob Agents Chemother 54(5): 2152-2159.
- 465.** Wen, X., C. K. Lai, et al. (2010). Kinetics of hedgehog-dependent full-length Gli3 accumulation in primary cilia and subsequent degradation. Mol Cell Biol 30(8): 1910-1922.
- 466.** Yang, M., C. Xiao, et al. (2010). Anti-inflammatory effect of Sanshuibaihu decoction may be associated with nuclear factor-kappa B and p38 MAPK alpha in collagen-induced arthritis in rat. J Ethnopharmacol 127(2): 264-273.
- 467.** Zhang, H., S. Sun, et al. (2010). Role of presenilins in neuronal calcium homeostasis. J Neurosci 30(25): 8566-8580.

2009

- 468.** Adams, C. L. and M. D. Sjaastad (2009). Design and implementation of high-content imaging platforms: lessons learned from end user-developer collaboration. Comb Chem High Throughput Screen 12(9): 877-887.
- 469.** Aman, M. J., M. S. Kinch, et al. (2009). Development of a broad-spectrum antiviral with activity against Ebola virus. Antiviral Res 83(3): 245-251.
- 470.** An, W. F. (2009). Fluorescence-based assays. Methods Mol Biol 486: 97-107.
- 471.** Benanti, J. A., M. E. Matyskiela, et al. (2009). Functionally distinct isoforms of Cik1 are differentially regulated by APC/C-mediated proteolysis. Mol Cell 33(5): 581-590.
- 472.** Borgmann-Winter, K. E., N. E. Rawson, et al. (2009). Human olfactory epithelial cells generated in vitro express diverse neuronal characteristics. Neuroscience 158(2): 642-653.
- 473.** Chen, M., J. Wang, et al. (2009). The anti-helminthic niclosamide inhibits Wnt/Frizzled1 signaling. Biochemistry 48(43): 10267-10274.
- 474.** Crampton, N., M. Kodiha, et al. (2009). Oxidative stress inhibits nuclear protein export by multiple mechanisms that target FG nucleoporins and Crm1. Mol Biol Cell 20(24): 5106-5116.
- 475.** Damoiseaux, R., S. P. Sherman, et al. (2009). Integrated chemical genomics reveals modifiers of survival in human embryonic stem cells. Stem Cells 27(3): 533-542.
- 476.** Danilova, O. V., A. K. Tai, et al. (2009). Neurogenin 3-specific dipeptidyl peptidase-2 deficiency causes impaired glucose tolerance, insulin resistance, and visceral obesity. Endocrinology 150(12): 5240-5248.
- 477.** De Rycker, M., L. Rigoreau, et al. (2009). A high-content, cell-based screen identifies micropolyin, a new inhibitor of microtubule dynamics. Chem Biol Drug Des 73(6): 599-610.
- 478.** Duffy, P., A. Schmandke, et al. (2009). Rho-associated kinase II (ROCKII) limits axonal growth after trauma within the adult mouse spinal cord. J Neurosci 29(48): 15266-15276.
- 479.** Eckerle, I., D. Muth, et al. (2009). Regulation of BIRC5 and its isoform BIRC5-2B in neuroblastoma. Cancer Lett 285(1): 99-107.
- 480.** Frohlich, F., K. Moreira, et al. (2009). A genome-wide screen for genes affecting eisosomes reveals Nce102 function in sphingolipid signaling. J Cell Biol 185(7): 1227-1242.
- 481.** Gomez-Sarosi, L. A., M. Strasberg-Rieber, et al. (2009). ERK activation increases nitroprusside induced apoptosis in human melanoma cells irrespective of p53 status: role of superoxide dismutases. Cancer Biol Ther 8(12): 1173-1182.
- 482.** Hannoush, R. N. and N. Arenas-Ramirez (2009). Imaging the lipidome: omega-alkynyl fatty acids for detection and cellular visualization of lipid-modified proteins. ACS Chem Biol 4(7): 581-587.
- 483.** Hill, T. A., C. P. Gordon, et al. (2009). Inhibition of dynamin mediated endocytosis by the dynoles-synthesis and functional activity of a family of indoles. J Med Chem 52(12): 3762-3773.
- 484.** Hu, M., M. Gopalakrishnan, et al. (2009). Positive allosteric modulation of alpha7 neuronal nicotinic acetylcholine receptors: lack of cytotoxicity in PC12 cells and rat primary cortical neurons. Br J Pharmacol 158(8): 1857-1864.

- 485.** Hu, X., H. M. Stern, et al. (2009). Genetic alterations and oncogenic pathways associated with breast cancer subtypes. *Mol Cancer Res* 7(4): 511-522.
- 486.** Jaiswal, B. S., V. Janakiraman, et al. (2009). Combined targeting of BRAF and CRAF or BRAF and PI3K effector pathways is required for efficacy in NRAS mutant tumors. *PLoS One* 4(5): e5717.
- 487.** James, R. G., T. L. Biechele, et al. (2009). Bruton's tyrosine kinase revealed as a negative regulator of Wnt-beta-catenin signaling. *Sci Signal* 2(72): ra25.
- 488.** Jones, J. O., W. F. An, et al. (2009). AR inhibitors identified by high-throughput microscopy detection of conformational change and subcellular localization. *ACS Chem Biol* 4(3): 199-208.
- 489.** Kodiha, M., P. Banski, et al. (2009). Interplay between MEK and PI3 kinase signaling regulates the subcellular localization of protein kinases ERK1/2 and Akt upon oxidative stress. *FEBS Lett* 583(12): 1987-1993.
- 490.** Kogianni, G., M. M. Walker, et al. (2009). Endo180 expression with cofunctional partners MT1-MMP and uPAR-uPA is correlated with prostate cancer progression. *Eur J Cancer* 45(4): 685-693.
- 491.** Krishnamurthi, R. V., S. Mathai, et al. (2009). A novel diketopiperazine improves functional recovery given after the onset of 6-OHDA-induced motor deficit in rats. *Br J Pharmacol* 156(4): 662-672.
- 492.** Li, Q., A. L. Brass, et al. (2009). A genome-wide genetic screen for host factors required for hepatitis C virus propagation. *Proc Natl Acad Sci U S A* 106(38): 16410-16415.
- 493.** Li, Y., X. Ye, et al. (2009). Axl as a potential therapeutic target in cancer: role of Axl in tumor growth, metastasis and angiogenesis. *Oncogene* 28(39): 3442-3455.
- 494.** Maitra, R., M. A. Porter, et al. (2009). Inhibition of NFkappaB by the natural product Withaferin A in cellular models of Cystic Fibrosis inflammation. *J Inflamm (Lond)* 6: 15.
- 495.** Miljkovic-Licina, M., P. Hammel, et al. (2009). Sushi repeat protein X-linked 2, a novel mediator of angiogenesis. *FASEB J* 23(12): 4105-4116.
- 496.** Moy, T. I., A. L. Conery, et al. (2009). High-throughput screen for novel antimicrobials using a whole animal infection model. *ACS Chem Biol* 4(7): 527-533.
- 497.** Muller, M. R., Y. Sasaki, et al. (2009). Requirement for balanced Ca/NFAT signaling in hematopoietic and embryonic development. *Proc Natl Acad Sci U S A* 106(17): 7034-7039.
- 498.** Okoli, I., J. J. Coleman, et al. (2009). Identification of antifungal compounds active against *Candida albicans* using an improved high-throughput *Caenorhabditis elegans* assay. *PLoS One* 4(9): e7025.
- 499.** Panchal, R. G., R. L. Ulrich, et al. (2009). Reduced expression of CD45 protein-tyrosine phosphatase provides protection against anthrax pathogenesis. *J Biol Chem* 284(19): 12874-12885.
- 500.** Park, K. S., D. Poburko, et al. (2009). Amiloride derivatives induce apoptosis by depleting ER Ca(2+) stores in vascular endothelial cells. *Br J Pharmacol* 156(8): 1296-1304.
- 501.** Paulsen, R. D., D. V. Soni, et al. (2009). A genome-wide siRNA screen reveals diverse cellular processes and pathways that mediate genome stability. *Mol Cell* 35(2): 228-239.
- 502.** Poburko, D., C. H. Liao, et al. (2009). Mitochondrial regulation of sarcoplasmic reticulum Ca2+ content in vascular smooth muscle cells. *Circ Res* 104(1): 104-112.
- 503.** Pool, M., M. Niino, et al. (2009). Myelin regulates immune cell adhesion and motility. *Exp Neurol* 217(2): 371-377.
- 504.** Sabin, L. R., R. Zhou, et al. (2009). Ars2 regulates both miRNA- and siRNA- dependent silencing and suppresses RNA virus infection in *Drosophila*. *Cell* 138(2): 340-351.
- 505.** Shapira, S., S. Mathai, et al. (2009). Delayed peripheral administration of the N-terminal tripeptide of IGF-1 (GPE) reduces brain damage following microsphere induced embolic damage in young adult and aged rats. *Neurosci Lett* 454(1): 53-57.
- 506.** Shelly, S., N. Lukinova, et al. (2009). Autophagy is an essential component of *Drosophila* immunity against vesicular stomatitis virus. *Immunity* 30(4): 588-598.
- 507.** Shumate, C. and A. F. Hoffman (2009). Instrumental considerations in high content screening. *Comb Chem High Throughput Screen* 12(9): 888-898.
- 508.** Smotrov, N., A. Mathur, et al. (2009). Development of a cell-based assay for measurement of c-Met phosphorylation using AlphaScreen technology and high-content imaging analysis. *J Biomol Screen* 14(4): 404-411.

- 509.** Snijder, B., R. Sacher, et al. (2009). Population context determines cell-to-cell variability in endocytosis and virus infection. *Nature* 461(7263): 520-523.
- 510.** Suter, D. M., D. Tirefort, et al. (2009). A Sox1 to Pax6 switch drives neuroectoderm to radial glia progression during differentiation of mouse embryonic stem cells. *Stem Cells* 27(1): 49-58.
- 511.** Swenson, D. L., K. L. Warfield, et al. (2009). Chemical modifications of antisense morpholino oligomers enhance their efficacy against Ebola virus infection. *Antimicrob Agents Chemother* 53(5): 2089-2099.
- 512.** Thomas, M., C. Docx, et al. (2009). Activin-like kinase 5 (ALK5) mediates abnormal proliferation of vascular smooth muscle cells from patients with familial pulmonary arterial hypertension and is involved in the progression of experimental pulmonary arterial hypertension induced by monocrotaline. *Am J Pathol* 174(2): 380-389.
- 513.** Tsui, M., T. Xie, et al. (2009). An intermittent live cell imaging screen for siRNA enhancers and suppressors of a kinesin-5 inhibitor. *PLoS One* 4(10): e7339.
- 514.** van der Lee, M. M., M. Blomenrohr, et al. (2009). Pharmacological characterization of receptor redistribution and beta-arrestin recruitment assays for the cannabinoid receptor 1. *J Biomol Screen* 14(7): 811-823.
- 515.** Van Lith, L. H., J. Oosterom, et al. (2009). C5a-stimulated recruitment of beta-arrestin2 to the nonsignaling 7-transmembrane decoy receptor C5L2. *J Biomol Screen* 14(9): 1067-1075.
- 516.** Vizeacoumar, F. J., Y. Chong, et al. (2009). A picture is worth a thousand words: genomics to phenomics in the yeast *Saccharomyces cerevisiae*. *FEBS Lett* 583(11): 1656-1661.
- 517.** Wang, X., R. K. Varma, et al. (2009). Selection of hyperfunctional siRNAs with improved potency and specificity. *Nucleic Acids Res* 37(22): e152.
- 518.** Yang, H., J. Xiang, et al. (2009). Converse conformational control of smoothed activity by structurally related small molecules. *J Biol Chem* 284(31): 20876-20884.
- 519.** Zou, H., C. Ho, et al. (2009). Axotomy-induced Smad1 activation promotes axonal growth in adult sensory neurons. *J Neurosci* 29(22): 7116-7123.
- 520.** Zou, J., H. Friesen, et al. (2009). Regulation of cell polarity through phosphorylation of Bni4 by Pho85 G1 cyclin-dependent kinases in *Saccharomyces cerevisiae*. *Mol Biol Cell* 20(14): 3239-3250.

2008

- 521.** Abe, N., T. Inoue, et al. (2008). Dissecting the role of PtdIns(4,5)P2 in endocytosis and recycling of the transferrin receptor. *J Cell Sci* 121(Pt 9): 1488-1494.
- 522.** Bonilla-Santiago, R., Z. Wu, et al. (2008). Identification of growth inhibiting compounds in a *Giardia lamblia* high-throughput screen. *Mol Biochem Parasitol* 162(2): 149-154.
- 523.** Budel, S., T. Padukkavidana, et al. (2008). Genetic variants of Nogo-66 receptor with possible association to schizophrenia block myelin inhibition of axon growth. *J Neurosci* 28(49): 13161-13172.
- 524.** Cheng, T. J., M. T. Sung, et al. (2008). Domain requirement of moenomycin binding to bifunctional transglycosylases and development of high-throughput discovery of antibiotics. *Proc Natl Acad Sci U S A* 105(2): 431-436.
- 525.** Degtyarev, M., A. De Maziere, et al. (2008). Akt inhibition promotes autophagy and sensitizes PTEN-null tumors to lysosomotropic agents. *J Cell Biol* 183(1): 101-116.
- 526.** Denner, P., J. Schmalowsky, et al. (2008). High-content analysis in preclinical drug discovery. *Comb Chem High Throughput Screen* 11(3): 216-230.
- 527.** Dragunow, M. (2008). The adult human brain in preclinical drug development. *Nat Rev Drug Discov* 7(8): 659-666.
- 528.** Eimon, P. M., T. C. Baranowski, et al. (2008). Automated Acute Toxicity Testing Using Fluorescent Transgenic Zebrafish Embryos. *Toxicology* 253(1-3): 5-6.
- 529.** Erhardt, S., B. G. Mellone, et al. (2008). Genome-wide analysis reveals a cell cycle-dependent mechanism controlling centromere propagation. *J Cell Biol* 183(5): 805-818.
- 530.** Farny, N. G., J. A. Hurt, et al. (2008). Definition of global and transcript-specific mRNA export pathways in metazoans. *Genes Dev* 22(1): 66-78.
- 531.** Goshima, G., M. Mayer, et al. (2008). Augmin: a protein complex required for centrosome-independent microtubule generation within the spindle. *J Cell Biol* 181(3): 421-429.

- 532.** Grimsey, N. L., P. J. Narayan, et al. (2008). A novel high-throughput assay for the quantitative assessment of receptor trafficking. *Clin Exp Pharmacol Physiol* 35(11): 1377-1382.
- 533.** Guo, Y., T. C. Walther, et al. (2008). Functional genomic screen reveals genes involved in lipiddroplet formation and utilization. *Nature* 453(7195): 657-661.
- 534.** Hu, F. and S. M. Strittmatter (2008). The N-terminal domain of Nogo-A inhibits cell adhesion and axonal outgrowth by an integrin-specific mechanism. *J Neurosci* 28(5): 1262-1269.
- 535.** Kasinski, A. L., Y. Du, et al. (2008). Inhibition of IkappaB kinase-nuclear factor-kappaB signaling pathway by 3,5-bis(2-fluorobenzylidene)piperidin-4-one (EF24), a novel monoketone analog of curcumin. *Mol Pharmacol* 74(3): 654-661.
- 536.** Kennedy, J. P., L. Williams, et al. (2008). Application of combinatorial chemistry science on modern drug discovery. *J Comb Chem* 10(3): 345-354.
- 537.** Kodiha, M., C. M. Brown, et al. (2008). Analysis of signaling events by combining high-throughput screening technology with computer-based image analysis. *Sci Signal* 1(37): pl2.
- 538.** Kodiha, M., D. Tran, et al. (2008). Oxidative stress mislocalizes and retains transport factor importin-alpha and nucleoporins Nup153 and Nup88 in nuclei where they generate high molecular mass complexes. *Biochim Biophys Acta* 1783(3): 405-418.
- 539.** Kwok, J. M., S. S. Myatt, et al. (2008). Thiomrepton selectively targets breast cancer cells through inhibition of forkhead box M1 expression. *Mol Cancer Ther* 7(7): 2022-2032.
- 540.** Lee, P. H., S. C. Miller, et al. (2008). Development of a homogeneous high-throughput live-cell Gprotein-coupled receptor binding assay. *J Biomol Screen* 13(8): 748-754.
- 541.** Lomas, H., M. Massignani, et al. (2008). Non-cytotoxic polymer vesicles for rapid and efficient intracellular delivery. *Faraday Discuss* 139: 143-159; discussion 213-128, 419-120.
- 542.** Oh-Hora, M., M. Yamashita, et al. (2008). Dual functions for the endoplasmic reticulum calcium sensors STIM1 and STIM2 in T cell activation and tolerance. *Nat Immunol* 9(4): 432-443.
- 543.** O'Neill, E. E., A. R. Blewett, et al. (2008). Modulation of alphaCaMKII signaling by rapid ERalpha action. *Brain Res* 1222: 1-17.
- 544.** Pandey, N., J. Strider, et al. (2008). Curcumin inhibits aggregation of alpha-synuclein. *Acta Neuropathol* 115(4): 479-489.
- 545.** Pomerening, J. R., J. A. Ubersax, et al. (2008). Rapid cycling and precocious termination of G1 phase in cells expressing CDK1AF. *Mol Biol Cell* 19(8): 3426-3441.
- 546.** Prudencio, M., C. D. Rodrigues, et al. (2008). Kinome-wide RNAi screen implicates at least 5 host hepatocyte kinases in Plasmodium sporozoite infection. *PLoS Pathog* 4(11): e1000201.
- 547.** Puri, N., X. Wang, et al. (2008). LNA incorporated siRNAs exhibit lower off-target effects compared to 2'-OMethoxy in cell phenotypic assays and microarray analysis. *Nucleic Acids Symp Ser (Oxf)*(52): 25-26.
- 548.** Rawson, T. E., M. Ruth, et al. (2008). A pentacyclic aurora kinase inhibitor (AKI-001) with high in vivo potency and oral bioavailability. *J Med Chem* 51(15): 4465-4475.
- 549.** Rieber, M. and M. S. Rieber (2008). Mcl-1 cleavage and sustained phosphorylation of c-Jun-Nterminal kinase mediate melanoma apoptosis induced by 2-acetyl furanonaphthoquinone: roles of Bcl-2 and p53. *Cancer Biol Ther* 7(8): 1206-1211.
- 550.** Ross, D. A., S. Lee, et al. (2008). Multiplexed assays by high-content imaging for assessment of GPCR activity. *J Biomol Screen* 13(6): 449-455.
- 551.** Schmidt, E. F., S. O. Shim, et al. (2008). Release of MICL autoinhibition by semaphorin-plexin signaling promotes interaction with collapsin response mediator protein. *J Neurosci* 28(9): 2287-2297.
- 552.** Schulte, J. H., J. Kirfel, et al. (2008). Transcription factor AP2alpha (TFAP2a) regulates differentiation and proliferation of neuroblastoma cells. *Cancer Lett* 271(1): 56-63.
- 553.** Scotter, E. L., P. Narayan, et al. (2008). High throughput quantification of mutant huntingtin aggregates. *J Neurosci Methods* 171(1): 174-179.
- 554.** Sevilla, L. M., R. Nachat, et al. (2008). Kazrin regulates keratinocyte cytoskeletal networks, intercellular junctions and differentiation. *J Cell Sci* 121(Pt 21): 3561-3569.

- 555.** Shi, J., J. D. Orth, et al. (2008). Cell type variation in responses to antimitotic drugs that target microtubules and kinesin-5. *Cancer Res* 68(9): 3269-3276.
- 556.** Simpson, K. J., L. M. Selfors, et al. (2008). Identification of genes that regulate epithelial cell migration using an siRNA screening approach. *Nat Cell Biol* 10(9): 1027-1038.
- 557.** Summers, M. K., B. Pan, et al. (2008). The unique N terminus of the UbcH10 E2 enzyme controls the threshold for APC activation and enhances checkpoint regulation of the APC. *Mol Cell* 31(4): 544-556.
- 558.** Takanaga, H., B. Chaudhuri, et al. (2008). GLUT1 and GLUT9 as major contributors to glucose influx in HepG2 cells identified by a high sensitivity intramolecular FRET glucose sensor. *Biochim Biophys Acta* 1778(4): 1091-1099.
- 559.** Tampakakis, E., I. Okoli, et al. (2008). A *C. elegans*-based, whole animal, *in vivo* screen for the identification of antifungal compounds. *Nat Protoc* 3(12): 1925-1931.
- 560.** Tiozzo, S., A. Voskoboynik, et al. (2008). A conserved role of the VEGF pathway in angiogenesis of an ectodermally-derived vasculature. *Dev Biol* 315(1): 243-255.
- 561.** Vitorino, P. and T. Meyer (2008). Modular control of endothelial sheet migration. *Genes Dev* 22(23): 3268-3281.
- 562.** Voskoboynik, A., Y. Soen, et al. (2008). Identification of the endostyle as a stem cell niche in a colonial chordate. *Cell Stem Cell* 3(4): 456-464.
- 563.** Wagner, B. K., H. A. Carrinski, et al. (2008). Small-molecule fluorophores to detect cell-state switching in the context of high-throughput screening. *J Am Chem Soc* 130(13): 4208-4209.
- 564.** Williams, G., A. Wood, et al. (2008). Ganglioside inhibition of neurite outgrowth requires Nogo receptor function: identification of interaction sites and development of novel antagonists. *J Biol Chem* 283(24): 16641-16652.

2007

- 565.** Adam Goode†, R. S., Lily Mummert‡, Mei Chen‡, D. R. Jeffrey Saltzman●, Stacey Szymanski●, et al. (2007). Distributed Online Anomaly Detection in High-Content Screening.
- 566.** Bhaskar, V., D. Zhang, et al. (2007). A function blocking anti-mouse integrin alpha5beta1 antibody inhibits angiogenesis and impedes tumor growth *in vivo*. *J Transl Med* 5: 61.
- 567.** Brandman, O., J. Liou, et al. (2007). STIM2 is a feedback regulator that stabilizes basal cytosolic and endoplasmic reticulum Ca²⁺ levels. *Cell* 131(7): 1327-1339.
- 568.** Brenner, J. S. and R. E. Dolmetsch (2007). TrpC3 regulates hypertrophy-associated gene expression without affecting myocyte beating or cell size. *PLoS One* 2(8): e802.
- 569.** Canton, I., U. Sarwar, et al. (2007). Real-time detection of stress in 3D tissue-engineered constructs using NF-kappaB activation in transiently transfected human dermal fibroblast cells. *Tissue Eng* 13(5): 1013-1024.
- 570.** Carpenter, A. E. (2007). Image-based chemical screening. *Nat Chem Biol* 3(8): 461-465.
- 571.** Chan, E. Y., S. Kir, et al. (2007). siRNA screening of the kinome identifies ULK1 as a multidomain modulator of autophagy. *J Biol Chem* 282(35): 25464-25474.
- 572.** Chu, J. J. and P. L. Yang (2007). c-Src protein kinase inhibitors block assembly and maturation of dengue virus. *Proc Natl Acad Sci U S A* 104(9): 3520-3525.
- 573.** Dodson, A. W., T. J. Taylor, et al. (2007). Inhibitors of the sodium potassium ATPase that impair herpes simplex virus replication identified via a chemical screening approach. *Virology* 366(2): 340-348.
- 574.** Dragunow, M., R. Cameron, et al. (2007). Image-based high-throughput quantification of cellular fat accumulation. *J Biomol Screen* 12(7): 999-1005.
- 575.** Duan, Z., J. Bradner, et al. (2007). 8-benzyl-4-oxo-8-azabicyclo[3.2.1]oct-2-ene-6,7-dicarboxylic acid (SD-1008), a novel janus kinase 2 inhibitor, increases chemotherapy sensitivity in human ovarian cancer cells. *Mol Pharmacol* 72(5): 1137-1145.
- 576.** Galvez, T., M. N. Teruel, et al. (2007). siRNA screen of the human signaling proteome identifies the PtdIns(3,4,5)P3-mTOR signaling pathway as a primary regulator of transferrin uptake. *Genome Biol* 8(7): R142.
- 577.** Gibbons, H. M., S. M. Hughes, et al. (2007). Cellular composition of human glial cultures from adult biopsy brain tissue. *J Neurosci Methods* 166(1): 89-98.
- 578.** Goshima, G., R. Wollman, et al. (2007). Genes required for mitotic spindle assembly in *Drosophila* S2 cells. *Science* 316(5823): 417-421.

- 579.** Hopkins, S., S. Carter, et al. (2007). Temperature-dependent phagocytosis of highly branched poly(N-isopropyl acrylamide-co-1,2 propandiol-3-methacrylate)s prepared by RAFT polymerization. *Journal of Materials Chemistry* 17(38): 4022-4027.
- 580.** Hu, M., M. E. Schurdak, et al. (2007). High content screen microscopy analysis of A beta 1-42-induced neurite outgrowth reduction in rat primary cortical neurons: neuroprotective effects of alpha 7 neuronal nicotinic acetylcholine receptor ligands. *Brain Res* 1151: 227-235.
- 581.** Kodiha, M., J. G. Rassi, et al. (2007). Localization of AMP kinase is regulated by stress, cell density, and signaling through the MEK-->ERK1/2 pathway. *Am J Physiol Cell Physiol* 293(5): C1427-1436.
- 582.** Krausz, E. (2007). High-content siRNA screening. *Mol Biosyst* 3(4): 232-240.
- 583.** LeRoy, P. J., J. J. Hunter, et al. (2007). Localization of human TACC3 to mitotic spindles is mediated by phosphorylation on Ser558 by Aurora A: a novel pharmacodynamic method for measuring Aurora A activity. *Cancer Res* 67(11): 5362-5370.
- 584.** Lin, C., W. Mak, et al. (2007). Intelligent Interfaces for Mining Large-Scale RNAi-HCS Image Databases. *Proc IEEE Int Symp Bioinformatics Bioeng* 2007: 1333-1337.
- 585.** Liu, J. J., L. M. Ching, et al. (2007). Antitumour action of 5,6-dimethylxanthenone-4-acetic acid in rats bearing chemically induced primary mammary tumours. *Cancer Chemother Pharmacol* 59(5): 661-669.
- 586.** Manfredi, M. G., J. A. Ecsedy, et al. (2007). Antitumor activity of MLN8054, an orally active smallmolecule inhibitor of Aurora A kinase. *Proc Natl Acad Sci U S A* 104(10): 4106-4111.
- 587.** Moderscheim, T. A., T. Gorba, et al. (2007). Prolactin is involved in glial responses following a focal injury to the juvenile rat brain. *Neuroscience* 145(3): 963-973.
- 588.** Panchal, R. G., G. Ruthel, et al. (2007). Chemical genetic screening identifies critical pathways in anthrax lethal toxin-induced pathogenesis. *Chem Biol* 14(3): 245-255.
- 589.** Park, J. Y., M. A. Arnaout, et al. (2007). A simple, no-wash cell adhesion-based high-throughput assay for the discovery of small-molecule regulators of the integrin CD11b/CD18. *J Biomol Screen* 12(3): 406-417.
- 590.** Pipalia, N. H., M. Hao, et al. (2007). Sterol, protein and lipid trafficking in Chinese hamster ovary cells with Niemann-Pick type C1 defect. *Traffic* 8(2): 130-141.
- 591.** Ramadan, N., I. Flockhart, et al. (2007). Design and implementation of high-throughput RNAi screens in cultured *Drosophila* cells. *Nat Protoc* 2(9): 2245-2264.
- 592.** Schurdak, M. E., L. A. Vernetti, et al. (2007). Adaptation of an in vitro phospholipidosis assay to an automated image analysis system. *Toxicol Mech Methods* 17(2): 77-86.
- 593.** Sun, T., P. McMinn, et al. (2007). An integrated systems biology approach to understanding the rules of keratinocyte colony formation. *J R Soc Interface* 4(17): 1077-1092.
- 594.** Sun, T., D. Norton, et al. (2007). Development of a 3D cell culture system for investigating cell interactions with electrospun fibers. *Biotechnol Bioeng* 97(5): 1318-1328.
- 595.** Sun, T., D. Norton, et al. (2007). Investigation of fibroblast and keratinocyte cell-scaffold interactions using a novel 3D cell culture system. *J Mater Sci Mater Med* 18(2): 321-328.
- 596.** Thedieck, K., P. Polak, et al. (2007). PRAS40 and PRR5-like protein are new mTOR interactors that regulate apoptosis. *PLoS One* 2(11): e1217.
- 597.** Tran, T. C., B. Snead, et al. (2007). Automated, quantitative screening assay for antiangiogenic compounds using transgenic zebrafish. *Cancer Res* 67(23): 11386-11392.
- 598.** Voskoboynik, A., N. Simon-Blecher, et al. (2007). Striving for normality: whole body regeneration through a series of abnormal generations. *FASEB J* 21(7): 1335-1344.
- 599.** Wagner, E. J., B. D. Burch, et al. (2007). A genome-wide RNA interference screen reveals that variant histones are necessary for replication-dependent histone pre-mRNA processing. *Mol Cell* 28(4): 692-699.
- 600.** Wilkie, R. P., M. C. Vissers, et al. (2007). A functional NADPH oxidase prevents caspase involvement in the clearance of phagocytic neutrophils. *Infect Immun* 75(7): 3256-3263.

2005/2006

601. Chen, D. S., Y. Soen, et al. (2005). Marked differences in human melanoma antigen-specific T cell responsiveness after vaccination using a functional microarray. *PLoS Med* 2(10): e265.
602. Goshima, G., R. Wollman, et al. (2005). Length control of the metaphase spindle. *Curr Biol* 15(22): 1979-1988.
603. Hu, F., B. P. Liu, et al. (2005). Nogo-A interacts with the Nogo-66 receptor through multiple sites to create an isoform-selective subnanomolar agonist. *J Neurosci* 25(22): 5298-5304.
604. Liao, J., R. Sportsman, et al. (2005). Real-time quantification of fatty acid uptake using a novel fluorescence assay. *J Lipid Res* 46(3): 597-602.
605. Liou, J., M. L. Kim, et al. (2005). STIM is a Ca²⁺ sensor essential for Ca²⁺-store-depletiontriggered Ca²⁺ influx. *Curr Biol* 15(13): 1235-1241.
606. Sun, T., S. Mai, et al. (2005). Self-organization of skin cells in three-dimensional electrospun polystyrene scaffolds. *Tissue Eng* 11(7-8): 1023-1033.
607. Dragunow, M., J. M. Greenwood, et al. (2006). Valproic acid induces caspase 3-mediated apoptosis in microglial cells. *Neuroscience* 140(4): 1149-1156.
608. Duan, Z., J. E. Bradner, et al. (2006). SD-1029 inhibits signal transducer and activator of transcription 3 nuclear translocation. *Clin Cancer Res* 12(22): 6844-6852.
609. Eggert, U. S. and T. J. Mitchison (2006). Small molecule screening by imaging. *Curr Opin Chem Biol* 10(3): 232-237.
610. Gomez-Ospina, N., F. Tsuruta, et al. (2006). The C terminus of the L-type voltage-gated calcium channel Ca(V)1.2 encodes a transcription factor. *Cell* 127(3): 591-606.
611. Graham, E. S., N. Ball, et al. (2006). Induction of Krox-24 by endogenous cannabinoid type 1 receptors in Neuro2A cells is mediated by the MEK-ERK MAPK pathway and is suppressed by the phosphatidylinositol 3-kinase pathway. *J Biol Chem* 281(39): 29085-29095.
612. Harrison, C. A., F. Gossiel, et al. (2006). Investigation of keratinocyte regulation of collagen I synthesis by dermal fibroblasts in a simple in vitro model. *Br J Dermatol* 154(3): 401-410.
613. Hill, R. P., S. MacNeil, et al. (2006). Melanocyte stimulating hormone peptides inhibit TNF-alpha signaling in human dermal fibroblast cells. *Peptides* 27(2): 421-430.
614. Keenan, T. M., A. Hooker, et al. (2006). Automated identification of axonal growth cones in timelapse image sequences. *J Neurosci Methods* 151(2): 232-238.
615. Kochl, R., X. W. Hu, et al. (2006). Microtubules facilitate autophagosome formation and fusion of autophagosomes with endosomes. *Traffic* 7(2): 129-145.
616. Kuhn, J. H., S. R. Radoshitzky, et al. (2006). Conserved receptor-binding domains of Lake Victoria marburgvirus and Zaire ebolavirus bind a common receptor. *J Biol Chem* 281(23): 15951-15958.
617. Pepperkok, R. and J. Ellenberg (2006). High-throughput fluorescence microscopy for systems biology. *Nat Rev Mol Cell Biol* 7(9): 690-696.
618. Peters, U., J. Cherian, et al. (2006). Probing cell-division phenotype space and Polo-like kinase function using small molecules. *Nat Chem Biol* 2(11): 618-626.
619. Pipalia, N. H., A. Huang, et al. (2006). Automated microscopy screening for compounds that partially revert cholesterol accumulation in Niemann-Pick C cells. *J Lipid Res* 47(2): 284-301.
620. Simpson, P. B. and K. A. Wafford (2006). New directions in kinetic high information content assays. *Drug Discov Today* 11(5-6): 237-244.
621. Soen, Y., A. Mori, et al. (2006). Exploring the regulation of human neural precursor cell differentiation using arrays of signaling microenvironments. *Mol Syst Biol* 2: 37.
622. Soler, D., T. R. Chapman, et al. (2006). CCR8 expression identifies CD4 memory T cells enriched for FOXP3+ regulatory and Th2 effector lymphocytes. *J Immunol* 177(10): 6940-6951.
623. Stolzing, A. and A. Scutt (2006). Age-related impairment of mesenchymal progenitor cell function. *Aging Cell* 5(3): 213-224.
624. Sun, T., S. Jackson, et al. (2006). Culture of skin cells in 3D rather than 2D improves their ability to survive exposure to cytotoxic agents. *J Biotechnol* 122(3): 372-381.

- 625.** Togashi, H., E. F. Schmidt, et al. (2006). RanBPM contributes to Semaphorin3A signaling through plexin-A receptors. *J Neurosci* 26(18): 4961-4969.
- 626.** Wen, D., Y. Nong, et al. (2006). A selective small molecule IkappaB Kinase beta inhibitor blocks nuclear factor kappaB-mediated inflammatory responses in human fibroblast-like synoviocytes, chondrocytes, and mast cells. *J Pharmacol Exp Ther* 317(3): 989-1001.

2003/2004

- 627.** Aarum, J., K. Sandberg, et al. (2003). Migration and differentiation of neural precursor cells can be directed by microglia. *Proc Natl Acad Sci U S A* 100(26): 15983-15988.
- 628.** Carey, K. L., N. J. Westwood, et al. (2004). A small-molecule approach to studying invasive mechanisms of *Toxoplasma gondii*. *Proc Natl Acad Sci U S A* 101(19): 7433-7438.
- 629.** Carpenter, A. E. and D. M. Sabatini (2004). Systematic genome-wide screens of gene function. *Nat Rev Genet* 5(1): 11-22.
- 630.** Eggert, U. S., A. A. Kiger, et al. (2004). Parallel chemical genetic and genome-wide RNAi screens identify cytokinesis inhibitors and targets. *PLoS Biol* 2(12): e379.
- 631.** Elliott, R. J., M. Szabo, et al. (2004). alpha-Melanocyte-stimulating hormone, MSH 11-13 KPV and adrenocorticotrophic hormone signalling in human keratinocyte cells. *J Invest Dermatol* 122(4): 1010-1019.

